

NOTE:
CONTACT ENGINEERING REGARDING ANY QUESTIONS,
CLARIFICATIONS, OR REQUESTED DEVIATIONS


CREATED DRAWING	BDELAAT	9-8-2022	BDELAAT	09-08-2022	2022122	A
REVISION DESCRIPTION	REVISED BY	DATE	REVIEWED BY	DATE	ECO	REV

RELEASED

09-08-2022

<div>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES</div> <div>WIRE LENGTH TOLERANCES SPEC. = IPC/WHMA-A-620B</div> <table><tr><td>≤ 1ft</td><td>+1in -0in</td></tr><tr><td>> 1ft-5ft</td><td>+2in -0in</td></tr><tr><td>> 5ft-10ft</td><td>+4in -0in</td></tr><tr><td>> 10ft-25ft</td><td>+6in -0in</td></tr><tr><td>> 25ft</td><td>+5% -0%</td></tr></table> <div>FRACTIONS ± 1/16in ± 1.59mm</div> <div>TOLERANCES ON DECIMALS:</div> <table><tr><td>1 PLACE</td><td>2 PLACE</td><td>3 PLACE</td></tr><tr><td>in ± .030</td><td>± .010</td><td>± .005</td></tr><tr><td>mm ± .76</td><td>± .25</td><td>± .13</td></tr></table> <div>ANGULAR DIMENSIONS ± 1 DEG</div> <div>DIMENSIONS IN () ARE REFERENCE</div> <div>REMOVE BURRS</div> <div>BREAK EDGES 0.011IN 0.25MM MAX</div> <div>MAX SURFACE ROUGHNESS 125✓</div>	≤ 1ft	+1in -0in	> 1ft-5ft	+2in -0in	> 5ft-10ft	+4in -0in	> 10ft-25ft	+6in -0in	> 25ft	+5% -0%	1 PLACE	2 PLACE	3 PLACE	in ± .030	± .010	± .005	mm ± .76	± .25	± .13	<div>ORIGINATED BY BDELAAT</div> <div>ORIGINATION DATE 7-25-2022</div> <div>PROJECT ENGINEER BDELAAT</div> <div>ACCOUNT MANAGER SJOHNSON</div> <div>MATERIAL N/A</div> <div>COATING/PLATING N/A</div> <div>CUSTOMER PART NUMBER</div>	<div> GLOBAL RESOURCES MUKWONAGO, WI 53149</div> <div>DRAWING TITLE: FLEX8 REMOTE UNDERLIFT HARNESS ELECTRICAL SCHEMATIC</div> <div>D</div> <div>DRAWING REFERENCE: 20086627</div> <div>PLOT SCALE: NONE</div> <div>SHEET INFO: 1 OF 6</div>
	≤ 1ft	+1in -0in																			
	> 1ft-5ft	+2in -0in																			
	> 5ft-10ft	+4in -0in																			
	> 10ft-25ft	+6in -0in																			
> 25ft	+5% -0%																				
1 PLACE	2 PLACE	3 PLACE																			
in ± .030	± .010	± .005																			
mm ± .76	± .25	± .13																			
ALL TECHNICAL DATA ON THIS DRAWING IS THE PROPERTY OF GS GLOBAL RESOURCES INC. AND SHALL NOT BE USED BY OTHERS FOR MANUFACTURE, PROCUREMENT, OR DISCLOSURE WITHOUT THE WRITTEN PERMISSION OF: GS GLOBAL RESOURCES INC.																					
SHT SIZE: DRAWING NUMBER: REV																					

TITLE BLOCK REVISION DATE: 5-5-2021



NOTE:
CONTACT ENGINEERING REGARDING ANY QUESTIONS,
CLARIFICATIONS, OR REQUESTED DEVIATIONS

CREATED DRAWING	BDELAAT	9-8-2022	BDELAAT	09-08-2022	2022122	A
REVISION DESCRIPTION	REVISED BY	DATE	REVIEWED BY	DATE	ECO	REV

RELEASED

09-08-2022

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES			ORIGINATED BY BDELAAT	
WIRE LENGTH TOLERANCES SPEC. = IPC/WHMA-A-620B			ORIGINATION DATE 7-25-2022	
THIRD ANGLE PROJECTION			PROJECT ENGINEER BDELAAT	
≤ 1ft +1in -0in			ACCOUNT MANAGER SJOHNSON	
> 1ft-5ft +2in -0in			MATERIAL N/A	
> 5ft-10ft +4in -0in			COATING/PLATING N/A	
> 10ft-25ft +6in -0in			CUSTOMER PART NUMBER:	
> 25ft +5% -0%				
- FRACTIONS ± 1/16in ± 1.59mm			ALL TECHNICAL DATA ON THIS DRAWING IS THE PROPERTY OF GS GLOBAL RESOURCES INC. AND SHALL NOT BE USED BY OTHERS FOR MANUFACTURE, PROCUREMENT, OR DISCLOSURE WITHOUT THE WRITTEN PERMISSION OF: GS GLOBAL RESOURCES INC.	
- TOLERANCES ON DECIMALS:			DRAWING REFERENCE: 20086627	
1 PLACE ± .030			SHEET INFO: 2 OF 6	
2 PLACE ± .010				
3 PLACE ± .005				
mm ± .76				
± .25				
± .13				
- ANGULAR DIMENSIONS ± 1 DEG				
- DIMENSIONS IN () ARE REFERENCE				
- REMOVE BURRS				
- BREAK EDGES 0.011IN 0.25MM MAX				
- MAX SURFACE ROUGHNESS 125✓				

GLOBAL RESOURCES
MUKWONAGO, WI 53149


DRAWING TITLE:
**FLEX8 REMOTE
UNDERLIFT HARNESS
ELECTRICAL SCHEMATIC**

DRAWING REFERENCE:
20086627

PLOT SCALE:
NONE

SHEET INFO:
2 OF 6

TITLE BLOCK REVISION DATE: 5-5-2021



NOTE:
CONTACT ENGINEERING REGARDING ANY QUESTIONS,
CLARIFICATIONS, OR REQUESTED DEVIATIONS

CREATED DRAWING	BDELAAT	9-8-2022	BDELAAT	09-08-2022	2022122	A
REVISION DESCRIPTION	REVISED BY	DATE	REVIEWED BY	DATE	ECO	REV

RELEASED

09-08-2022

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES

WIRE LENGTH TOLERANCES
SPEC. = IPC/WHMA-A-620B

THIRD ANGLE
PROJECTION

FRACTIONS ± 1/16in ± 1.59mm

TOLERANCES ON DECIMALS:
1 PLACE 2 PLACE 3 PLACE

ALL TECHNICAL DATA ON THIS DRAWING IS
THE PROPERTY OF GS GLOBAL RESOURCES INC.
AND SHALL NOT BE USED BY OTHERS FOR
MANUFACTURE, PROCUREMENT, OR
DISCLOSURE WITHOUT THE WRITTEN
PERMISSION OF:
GS GLOBAL RESOURCES INC.

ORIGINATED BY
BDELAAT

ORIGINATION DATE
7-25-2022

PROJECT ENGINEER
BDELAAT

ACCOUNT MANAGER
SJOHNSON

MATERIAL
N/A

COATING/PLATING
N/A

CUSTOMER PART NUMBER:

DRAWING TITLE:
FLEX8 REMOTE
UNDERLIFT HARNESS
ELECTRICAL SCHEMATIC

DWT SIZE: D

DRAWING NUMBER:
20086627


REV: A

DRAWING REFERENCE:
20086627

PLOT SCALE:
NONE

SHEET INFO:
3 OF 6

TITLE BLOCK REVISION DATE: 5-5-2021




NOTE:
CONTACT ENGINEERING REGARDING ANY QUESTIONS,
CLARIFICATIONS, OR REQUESTED DEVIATIONS


CREATED DRAWING	BDELAAT	9-8-2022	BDELAAT	09-08-2022	2022122	A
REVISION DESCRIPTION	REVISED BY	DATE	REVIEWED BY	DATE	ECO	REV

RELEASED

09-08-2022

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES			ORIGINATED BY: BDELAAT		 GLOBAL RESOURCES MUKWONAGO, WI 53149											
WIRE LENGTH TOLERANCES SPEC. = IPC/WHMA-A-620B			ORIGINATION DATE: 7-25-2022													
<table><tr><td>≤ 1ft</td><td>+1in -0in</td></tr><tr><td>> 1ft-5ft</td><td>+2in -0in</td></tr><tr><td>> 5ft-10ft</td><td>+4in -0in</td></tr><tr><td>> 10ft-25ft</td><td>+6in -0in</td></tr><tr><td>> 25ft</td><td>+5% -0%</td></tr></table>			≤ 1ft	+1in -0in			> 1ft-5ft	+2in -0in	> 5ft-10ft	+4in -0in	> 10ft-25ft	+6in -0in	> 25ft	+5% -0%	PROJECT ENGINEER: BDELAAT	
			≤ 1ft	+1in -0in												
			> 1ft-5ft	+2in -0in												
> 5ft-10ft	+4in -0in															
> 10ft-25ft	+6in -0in															
> 25ft	+5% -0%															
ACCOUNT MANAGER: SJOHNSON																
THIRD ANGLE PROJECTION			MATERIAL: N/A		DRAWING TITLE: FLEX8 REMOTE UNDERLIFT HARNESS ELECTRICAL SCHEMATIC											
COATING/PLATING: N/A			CUSTOMER PART NUMBER:													
- FRACTIONS ± 1/16in ± 1.59mm - TOLERANCES ON DECIMALS: <table><tr><td>1 PLACE</td><td>2 PLACE</td><td>3 PLACE</td></tr><tr><td>in ± .030</td><td>± .010</td><td>± .005</td></tr><tr><td>mm ± .76</td><td>± .25</td><td>± .13</td></tr></table>			1 PLACE	2 PLACE	3 PLACE	in ± .030	± .010	± .005	mm ± .76	± .25	± .13	ALL TECHNICAL DATA ON THIS DRAWING IS THE PROPERTY OF GS GLOBAL RESOURCES INC. AND SHALL NOT BE USED BY OTHERS FOR: MANUFACTURE, PROCUREMENT, OR DISCLOSURE WITHOUT THE WRITTEN PERMISSION OF: GS GLOBAL RESOURCES INC.		SHEET INFO: D 20086627 A		
1 PLACE	2 PLACE	3 PLACE														
in ± .030	± .010	± .005														
mm ± .76	± .25	± .13														
- DIMENSIONS IN () ARE REFERENCE - REMOVE BURRS - BREAK EDGES 0.011IN 0.25MM MAX - MAX SURFACE ROUGHNESS 125✓			DRAWING REFERENCE: 20086627		REV 4 OF 6											

TITLE BLOCK REVISION DATE: 5-5-2021



NOTE:
CONTACT ENGINEERING REGARDING ANY QUESTIONS,
CLARIFICATIONS, OR REQUESTED DEVIATIONS


CREATED DRAWING	BDELAAT	9-8-2022	BDELAAT	09-08-2022	2022122	A
REVISION DESCRIPTION	REVISED BY	DATE	REVIEWED BY	DATE	ECO	REV

RELEASED

09-08-2022

<div>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES</div> <div>WIRE LENGTH TOLERANCES SPEC. = IPC/WHMA-A-620B</div> <div>THIRD ANGLE PROJECTION</div> <div>FRACTIONS ± 1/16in ± 1.59mm</div> <div>TOLERANCES ON DECIMALS:</div> <div>1 PLACE 2 PLACE 3 PLACE</div> <div>in ± .030 ± .010 ± .005</div> <div>mm ± .76 ± .25 ± .13</div> <div>ANGULAR DIMENSIONS ± 1 DEG</div> <div>DIMENSIONS IN () ARE REFERENCE</div> <div>REMOVE BURRS</div> <div>BREAK EDGES 0.01IN 0.25MM MAX</div> <div>MAX SURFACE ROUGHNESS 125√</div>	ORIGINATED BY BDELAAT	<div> GLOBAL RESOURCES MUKWONAGO, WI 53149</div> <div>DRAWING TITLE: FLEX8 REMOTE UNDERLIFT HARNESS ELECTRICAL SCHEMATIC</div> <div>SHT SIZE: D</div> <div>DRAWING NUMBER: 20086627</div> <div>REV: A</div> <div>DRAWING REFERENCE: 20086627</div> <div>PLOT SCALE: NONE</div> <div>SHEET INFO: 5 OF 6</div>
	ORIGINATION DATE 7-25-2022	
	PROJECT ENGINEER BDELAAT	
	ACCOUNT MANAGER SJOHNSON	
	MATERIAL N/A	
COATING/PLATING N/A		
CUSTOMER PART NUMBER:	ALL TECHNICAL DATA ON THIS DRAWING IS THE PROPERTY OF GS GLOBAL RESOURCES INC. AND SHALL NOT BE USED BY OTHERS FOR: MANUFACTURE, PROCUREMENT, OR DISCLOSURE WITHOUT THE WRITTEN PERMISSION OF: GS GLOBAL RESOURCES INC.	

TITLE BLOCK REVISION DATE: 5-5-2021



NOTE:
CONTACT ENGINEERING REGARDING ANY QUESTIONS,
CLARIFICATIONS, OR REQUESTED DEVIATIONS

CREATED DRAWING	BDELAAT	9-8-2022	BDELAAT	09-08-2022	2022122	A
REVISION DESCRIPTION	REVISED BY	DATE	REVIEWED BY	DATE	ECO	REV

RELEASED

09-08-2022

<div>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES</div> <div>WIRE LENGTH TOLERANCES SPEC. = IPC/WHMA-A-620B</div> <div>THIRD ANGLE PROJECTION</div> <div>FRACTIONS ± 1/16in ± 1.59mm</div> <div>TOLERANCES ON DECIMALS:</div> <div>1 PLACE 2 PLACE 3 PLACE</div> <div>in ± .030 ± .010 ± .005</div> <div>mm ± .76 ± .25 ± .13</div> <div>ANGULAR DIMENSIONS ± 1 DEG</div> <div>DIMENSIONS IN () ARE REFERENCE</div> <div>REMOVE BURRS</div> <div>BREAK EDGES 0.01IN 0.25MM MAX</div> <div>MAX SURFACE ROUGHNESS 125√</div>	ORIGINATED BY BDELAAT	<div> GLOBAL RESOURCES MUKWONAGO, WI 53149</div> <div>DRAWING TITLE: FLEX8 REMOTE UNDERLIFT HARNESS ELECTRICAL SCHEMATIC</div> <div>SHT SIZE: D</div> <div>DRAWING NUMBER: 20086627</div> <div>REV: A</div>		
	ORIGINATION DATE 7-25-2022			
	PROJECT ENGINEER BDELAAT			
	ACCOUNT MANAGER SJOHNSON			
	MATERIAL N/A			
COATING/PLATING N/A				
CUSTOMER PART NUMBER:	ALL TECHNICAL DATA ON THIS DRAWING IS THE PROPERTY OF GS GLOBAL RESOURCES INC. AND SHALL NOT BE USED BY OTHERS FOR MANUFACTURE, PROCUREMENT, OR DISCLOSURE WITHOUT THE WRITTEN PERMISSION OF: GS GLOBAL RESOURCES INC.	DRAWING REFERENCE: 20086627	PLOT SCALE: NONE	SHEET INFO: 6 OF 6

TITLE BLOCK REVISION DATE: 5-5-2021