

Miller Large Wrecker

Options & Features
Walk-Around 2015

# **Electrical and Lighting Options**

#### **MMO System**

Standard on 7035, 9055 and 1140- 1075S Rotators Optional – 4024, 5130, 5230, V-70 and V-100, 1130





Three Solid-State mVECS for wiring junctions, Located in drivers side forward toolbox or on the turret for a Rotator.

Also new R260 remote receiver in same location, no external antenna






Two multi-function backlit touch-screen displays (1 in the cab, 1 at the rear controls)

#### Wireless Remote System

4024, 5130 & 5230 – 8 Function Underlift Remote Standard
 Optional 14 Function Available




All Rotators – 8 Function Underlift Remote Standard





• 3212 – Option to upgrade to the 12 Function Boom and Underlift Remote (Standard with Passenger Side Wired Lanyard Underlift Remote)

#### MMGO System (Rotators)



2 touch screens are standard with an MMO and MMGO system. But only the rear display shows load information with the optional MMGO system.

# Raptor Remote



Optional on all rotators 1130-1075 Standard on 1150R Includes Load Sensing Information

#### **Century MMO & Remote Availability**

Description	3212	4024/5130/5230	7035/9055	7035XP/ 9055XP	1130/1140/1150/ 1075S
8 fxn wireless remote only	х	124004514	х	х	124004514
8 fxn remote and MMO power dist	X	124004537	x	x	124004510
14 fxn wireless remote only (12 fxn on 3212)	124004618	124004584	124004584	×	x
14 fxn remote and MMO power dist	x	124004511	124004511	x	х
XP MMO Power dist. and remotes	x	X	x	124004512	х
XP Omit Power Dist (incl remotes)	x	x	х	124004600	х
8 fxn remote and MMGO power dist	Х	X	Х	X	124004591

#### **Air PTO Override**

124002680 (Sgl-Acting) 4024-9055, XP

124002681 (Dbl-Acting) All Rotators

**Double Acting** 



Left – Single Action – also shows the yellow knob for the pusher axle air pressure adjustment. Allows for manual PTO engagement if there is an electrical failure.



Air Electric PTO: 129003010 Hot Shift PTO: 129003011



#### Flasher Control Power Unit

124004140 - All Models





Video

Five wire hookup-Requires LED lights-10A maximum Flashes all marker lights on the wrecker body

#### **LED Strip Lamp Kits**





Fits all '02 and newer aluminum toolboxes

124004215 - 180" CB Rotator (All Outriggers)

124004217 - 3212 CX 138CA

124004411 - 3212 CX 120CA

124004218 - Standard 3212 (84" Body)

124004219 - 138" CA

124004220 - 206" CA/180" CB

124004225 - 156" CA

124004226 - 182" CA/156" CB

124004227 - 230" CA/204" CB

124004221 - 24" Tunnel

124004222 - 30" Tunnel

124004223 - 36" Tunnel

124004224 - 48" Tunnel

124004244 - 40" Above Rails Box (Tandem Steer)

124004216 – Tandem Rotator Strip Marker Lights

## **Round LED Underlift Lamps**

124004448 (pair) All Models - includes bracket






124004644 (pair) - All Models



# LED Side Light

124004629 (pair)



Also functions as marker light & flasher light when used with Flasher Control Power Unit



# LED Under Body Strip Light Kit

124004649 (set of 6)





## LED Flashing Warning Door Light Kit

124004627



#### **Lumetic Boom Scene Light**

124004628






1150 Scene Lamp Mount Kit -124004709 1075 Scene Lamp Mount Kit - 124004710

### White LED Toolbox Strip Lights

Now standard on all units V30/3212 and larger





Retrofit kits available for 2002 and newer HD Bodies – 124004649

Minimum Order is 6 and then in groups of 3 (6,9,12, etc)






#### Whelen LED Micro-Edge Pod

124002708 - without brackets (pair)

124002812 – with brackets (pair)

Offered with and without brackets







For Rotator top-beam front outrigger, use 124002812-includes bracket



Whelen 72" 16-Head LED Lightbar

124002710 - 4 Corner Amber, Halogen Work Lights, Brake-Turn-Tail



Whelen 60" 8-Head LED Lightbar

174001984 - 4 Corner Amber, Halogen Work Lights, Brake-Turn-Tail



Whelen 60" 4-Head LED Lightbar

124002711 - 4 Corner Amber, Halogen Work Lights, Brake-Turn-Tail

#### M6 Clear Lens Amber LED



## **Additional Lighting Options**

LED Flex Lamp Kit 124004452 (pair)






LED Dominator Lamp Kit 124004449 (pair)








## **Optional Aluminum Tubular Pylons**

3212 - 33" - 124002677







## **Optional Aluminum Tubular Pylons**

38" - 124003003

Shown with 2 pairs 124004444 (M6)





51" - 124003005





Fold Down Light Bracket - 124002704



# **Optional Aluminum Tubular Pylons**

43" - 124004475





For use with Peterbilt & Kenworth Extended Day Cabs

38" – "Double Stack" 124004254



Allows for two light bars







Peterbilt

## **Stylized Pylons**

38" - 124004459

41" - 124004498

48" - 124004508

Pylon includes a 72" 16 Head LED Lightbar











# **Vulcan HD Pylons**

37" - 124002740




47" - 124003001



# Optional Aluminum 3" Pylon Spacer

124002678



## **Pylon Wings**

124002478 (pair)





Models 5130/5230

Does not Fit the 2009 38" Pylon, 124004254

Fits the 3003 & 3005 Pylons

Does not include lights

### **Rotator Aluminum Tubular Pylon**

124004150 (no swivel required) 1130/1140 Fixed 145002813 (includes collector ring) 1150-1075





Can be painted if desired

# **Stainless and Dress-Up Options Saddle Tunnel and Tool Boxes**

#### **Tailboard Dress Up Kits**

Diamond Plate 4024 – 124002464 5130, 5230 – 124002402 7035, 9055 – 124004072 Rotator- 124002595



Smooth 4024 – 124002464S 5130, 5230 – 124002402S 7035, 9055 – 124004072S Rotator- 124004462



## **Stainless Cylinder Wrap Kit**

124004576 - 9055/1140 124004677 - 1150/1075





#### 1 1/4" Handrail Kit

124002512



## **PolyBilt Body Option**

Tandem CBs - 156, 180, 204 or 228 Tri-Axle CBs - 180, 204 or 228

Body Shown with Optional Lighting





#### **Century Crossover Tunnel**

124004446



Crossover Boxes are available on the following bodies.

4024 – 156" CA and Larger

5130 - 182"CA / 156" CB and Larger

5230 - 156" CB and Larger

7035 – 180" CB and Larger

9055 - 180" CB and Larger





#### 3212 Stainless Kit


CX2 - 120" and/or 138" CA

124002613

Standard Body

124002612









Tunnel Box Stainless Shown is Sold Separately

#### **Stainless Kits**



2-Door - 124002611

Tunnel Box Stainless Shown is Sold Separately





4-Door - 124002614



3-Door - 124002613



Rotator - 124002610

Rotator Kit will Fit both Standard and H-Beam

Tunnel Box Stainless Shown is Sold Separately



24" Tunnel 124004384 (4024 and larger) 614-070800 (3212) Stainless Kit 124004403



30" Tunnel Box 124004386 Stainless Kit 124004402



36" Tunnel Box 124004387 (4024 and larger) 6114-071800 (3212 & 600R) Stainless Kit 124004256



48" Tunnel Box (Door) 124004389 (4024 and larger) Stainless Kit 124002633



124004538 (3212 or 600R) Stainless Kit 124002633

#### **Toolbox Options**

Polished Rails



The Rails are polished from the front to the rear, stopping at the top taillight.

Not Available on PolyBilt Body

Stainless Fenderettes (each) 124004593



(3 Shown)



# **Kenworth RH Dummy Stack**

4024-1075



# Forks & Attachments

#### Fork Kit

Standard on:

4024, 5130, 5230, 7035, 9055, 1130, 1140, 1150, 1150R, 1075S



Forks come in Black Primer for Parts Orders

#### **Additional Lift Forks & Attachments**

Spring Lift Adapter 124001389 (pr)



Standard on: 4024, 5130, 5230, 7035, 9055, 1130, 1140, 1150, 1150R, 1075S

Fork Reducer 124002430 (pr)





Optional on All Models

#### **Additional Lift Forks & Attachments**

6 3/4 Curved Fork 124004513



King Pin Tow Plate Recovery Loop 9401902



Volvo Fork 124002615



#### **Short Axle Fork Kit**

Standard on all units 3212 and larger- 124004454



# **Bus Lift Eye Attachment**

124002634 (pr) Optional on All Models





# **U-Bolt Adapter**

124002632 (pair) Optional on All Models









#### **Additional Crossbar Attachments**

Offset Fork Holder (pr)



Standard on 5130 and Larger Units 5" Crossbar – 124001718

Standard on 4024 4" Crossbar - 124002515

Standard on 3212 3212 Crossbar - 124002516 Riser Bracket (pr)



Standard on ALL Rotators Optional on all other Models

4" Crossbar - 124001724

5" Crossbar - 124001514

3212 Crossbar - 124004078

Hook End Cap (pr)



Standard on 5130 and Larger Units 5" Crossbar – 124001420

Standard on 4024 4" Crossbar - 124002048

Standard on 3212 3212 Crossbar - 124002517

#### Offset Fork Holder Extension

124002230 (pr)



#### **Chain Hook Adapters**

124002229 (lh/rh pr)





Optional on All Models,
Suggested 5130 and Larger Only

# Pintle Hook, Tow Ball, & 5<sup>th</sup> Wheel Attachment for 3212

124002645







124002211 Optional for 4024 and Larger Units





#### King Pin Attachment Kit

124001948







Requires 124002211 Pintle Hook Kit Optional for 4024 and Larger Units

#### 5<sup>th</sup> Wheel Adapter Kit

124001833





Requires 124002211 Pintle Hook Kit
Optional for 4024 and Larger Units
For Empty Trailers Only-24K Capacity

#### **Additional Attachments**

Tow Ball Adapter 124002431



Shown with Optional Convert-a-Ball Shank



Requires 124002211 Pintle Hook Kit

Converter Ball 174017093



Includes Adapter Shank Shown on the Tow Ball Adapter



#### **Euro Bus Lift**

124002467 Optional on 5130 and Larger units, 5"x5" crossbar











#### **Bus Lift**

124001914 - 5x5 Crossbar (5130 and Larger) 124002033 - 4x4 Crossbar (4024)









#### **XHD Tire Lift**

Optional for 35 Ton Units and SDU-4 Underlifts New Unit - 124002808



Field Retrofits

124002853 – Century - Includes XHD 5x5 Crossbar 124004081 – Vulcan – Includes XHD 5x5 Crossbar

For units already having a 5x5 Fabricated Crossbar 123002808 – Century and Vulcan

## **Bus Lift Storage System**

124002587 For 5x5 Crossbar Optional on 5130 and Larger Units Does not fit Rotator Boxes





## **External Bus Lift Storage System**

124004380 For 5" x 5" Crossbar Optional on 5130 and Larger Units





Can be used with both 124001914 (Heavy Duty) and 124002808 (Extra Heavy Duty) lift systems

# 6,000 lb. L-Arm System

124001738 For 5x5 Crossbar Optional on 5130 and Larger Units










124002416 for a 4x4 crossbar in a 4024

#### **Rear Outrigger Options**

Grater Blade Attachment (pr)

124002401



D-Ring Kit (pr, 12x15 Spades)

124002537



Rear Spade Extension (each)

124002618



# **Ground Penetrating Plate**

124004091









Fits Rotator, Integrated, and XP units Sold each, includes a pin

# Accessories

#### **Wide Load Bars**

36" Wireless LED

124004494



174019036



Includes 7 Way Plug-in Transmitter



Requires Light Cord (60') – Part Number 174019036

#### Safety Chain Roller Kit

Integrated Version - 124004450 - Optional All Models Rotator Version – 124004473- (N/A with Dual H-Beam)







#### **Chain Rack Carousal**

124004658




Available for 9055 (3-Stage), 1130, 1140, 1150, 1150R, 1150RXP, and 1075S Requires 36", 36" Tandem Steer, or 48" Tunnel Box

#### **Dual Reverse Camera**

124004442 - Optional on All Units

Includes the color screen inside the cab.



**Rotator Placement** 





Century Integrated Placement

# **Tailboard Remote**

124001979 - Optional on All Units



Rocker switch style replaces push-button style

# **Lighted Controls – Integrated Units**

124002796- Factory Install or Field Retrofit



Lighted controls for **XP UNITS** are available as 124002815 for Factory install or 124002813 for Field Retrofit

#### **Optional Color Control Handle Kit**

124004470- Factory Install or Field Retrofit



Includes enough colored handles to do both sides of a large unit from 4024 through a 6-winch Rotator

## Shackles, Straps, Chains, Snatch Blocks and Related Items

### **Washable Chain Box**

124002698



Optional on 4024, 5130, 5230, 7035, and 9055 Units

### Alloy Screw-Pin Shackle Kit

124004083 - The shackle kit was made to fit with the Endless Loop Strap Kit (124002697, Sold Separately)

### Kit Includes:

- 2 ea) 1 1/4" Alloy Master Links 18 Ton
- 2 ea) 1" Alloy Screw-Pin Shackles 8 1/2 Ton
- 6 ea) 1 1/4" Alloy Screw-Pin Shackles 12 Ton
- 2 ea) 1 1/2" Alloy Screw-Pin Shackles 17 Ton All Made in USA



### **Endless Loop Strap Kit**

124002697



COLOR CODE	CAPACITIES IN POUNDS			MINIMUM LENGTH	INCLUDES TWO EACH
	VERTICAL	CHOKER	BASKET	LENGTH	TWO EACH
YELLOW	8400	6720	16800	3 FT	4 FT, 6FT
RED	13200	10560	26400	3 FT	8 FT, 12FT
BLUE	21200	17000	42400	6 FT	12 FT, 16 FT



Optional on all models

(124004521 is the same kit but without the blue straps, for 3212)

### **Chain Kit**

124004661



### Miller G80 & G100 Chain Kit

- (2) Grade 80 / 5/16" x 10' Chains with Cradle Grab Hooks WLL: 5,000 lbs.
- (2) Grade 80 / 5/16" x 20' Chains with Cradle Grab Hooks WLL: 5,000 lbs.
- (2) Grade 80 / 3/8" x 10' Chains with Cradle Grab Hooks WLL: 7,100 lbs.
- (2) Grade 80 / 3/8" x 20' Chains with Cradle Grab Hooks WLL: 7.100 lbs.
- (2) Grade 100 / 1/2" x 10' Chains with Non-Cradle Grab Hooks WLL: 15,000 lbs.
- (2) Grade 100 / 1/2" x 20' Chains with Non-Cradle Grab Hooks WLL: 15,000 lbs.
- (2) Grade 100 / 1/2" x 5' Chains with Non-Cradle Grab Hook on one end; Frame Hook on other end WLL: 15,000 lbs.
- (2) Grade 100 / 5/16" 3/8" Ratchet Binders / WLL: 8,800 lbs.

Optional on all models, suggested for 4024 and Larger Units (124002523 is the same kit but without the ½" chains, for use with 3212)

### 5' Frame Rail/Trailer Chain

124004699



### 5/8" GR100 Chain Kit

124002820



Includes two each 5/8 GR100 10' and 15' long with a grab hook on each end
Optional on all models, suggested for 1075S

## 3/8" EDOG Eliminator GR100 Chain Bridle

124004153



## 1/2" EDOG Eliminator GR100 Chain Bridle

124004588



Optional on all models, suggested for 9055 and Larger Units

### 1/2" GR100 Foundry Hook Kit

124004156 (2 Hooks, 2 Shackles)



Optional on all models - Does not include the Blue Chain

### **Alloy Snatch Blocks**

8 Ton - 124001058



Optional on all models
Suggested for units with 35K and smaller winches

12 Ton - 124001886



Optional on all models
Suggested for units with 50K and Larger Winches

Made in USA

4-Ton (174017214) Johnson Snatch Block is also available for 3212/V-30

### Spreader Bar



124004417 (each)
Can be configured for 100", 105" and 110" lengths



Short Spreader Bar Tube – Allows for 58", 63" and 68" lengths 124004469 (each)





Shown with optional shackles and straps



Optional Mounting Kit - 124004426

## End Cap Storage



### Swivel Equalizer

124004471 – 17 Metric Tons (37,400 lbs.)







This attachment features a bearing that allows you to easily rotate a load, making it an ideal attachment to use with a rotator when trying to position equipment or machinery.

## Tool Compartment Organization and Storage

### Rigging Storage Bar

124004132 (ea)



Can be used in all large tunnels – snatch blocks sold separately

### **Dual Snatch Block Storage Kit**


124004463 (ea)



Can be used in all large boxes, snatch blocks sold separately. 2 kits shown, each kit contains 1 top and 1 bottom bracket

### **Shackle and Accessory Hanger Kit**

124004414





Includes 5 hangers - does not include shackles

### **Tunnel Box Attachment Storage**

124004539





Attachments and Spreader Bar Tube Storage Not Included. Works in 36" and 48" Tunnel Boxes

### **Tunnel Box Fork Storage**

36" Tunnel Box - 124004540



48" Tunnel Box - 124004541



Forks and attachments shown are not included

### **Water Tank Kit**

124004635



### Telescoping Ladder

124004656





### **Modular Toolboxes**



3-Drawer 124002667



4-Drawer 124004166



Modular toolboxes supersede the previous 3-drawer and replace the 124002668 7-drawer boxes.

These new boxes can be combined to make 6, 7, 8, or 9-drawer boxes-or any other combination of drawers.

They fit all bodies 4024 and larger.



### **Tunnel Box Shelf Kit**

48" Box – 124004131

36" Box – 124002844

30" Box – 124004528





Straps, lumber, and oil dry shown not included Chains, rack, and attachments sold separately

### **Tunnel Box Chain Rack**

48" - 124004130

36" - 145002869



### **Additional Options**

Air and Electric Storage Kit 124004258



Optional on All Units
Includes 2 red and 2 blue coiled air lines with fittings,
coiled electric cable and storage rack.

**Boom Angle Indicator** 

124002468 – Integrated

Standard on All Rotators



### **Extendable Rear Spades**

3212 & V 30 Manual Extension







4024, 5130 and 5230 7035 and 9055 Hydraulic Extension





# XP Add-Ons

### **XP Standard Pylon**

124002830



Shown with optional lightbar and lights

### XP Aluminum Tubular Pylon

124004193





### XP Spade (each)

124002619





### XP & RXP Bus Lift Storage System





124002525 for XP

124004190 for RXP

Can be used with both 124001914 (Heavy Duty) and 124004079 (Extra Heavy Duty) lift systems

# SP Side Pullers

### SP 12,000 Sidepuller

124003034



Requires an additional 19" CA for Wreckers



### SP 20,000 Sidepuller

124002731



Requires an additional 27" CA





# **Rotator Options**

### **Rotator Controls By Model - 1130**

1130

#### **Standard Controls**

Manual Controls for Boom Functions Manual Control for All Outriggers Wireless Underlift Remote Non-Backlit Control Station

#### **Optional Controls**

Proportional Controls with Wireless Boom Controller Control Stations are Backlit Electric Outrigger Controls Passenger Side Manuals Controls Now Optional Raptor Package

#### **Optional Winches**

35K Main Winches Upgrade

Not Available with Turret Drag Winches

Optional 25K Belly Drag



#### **Rotator Controls By Model - 1140**

1140

#### **Standard Controls**

Manual Controls for Boom Functions
Wireless Underlift Remote
Manual Control for All Outriggers
Non-Backlit Control Station
(Room for 1 Optional Auxiliary Drag Winch)

#### **Optional Controls**

Proportional Controls with Wireless Boom Controller Control
Stations are Backlit
Electric Outrigger Controls
(Up to 3 Auxiliary Winches)
Raptor Package

#### **Optional Winches**

Optional 35K or 50K Belly Drag

Or

Dual 15K Turret Drag Winches (Requires Optional Controls)

Dual 15K Turret Drag Winches with a 35k/50K Belly Drag (Requires Optional Controls)

**RXP** 

#### **Standard Controls**

Manual Controls for Boom Functions
Wireless Underlift Remote
Manual Control for All Outriggers
Non-Backlit Control Station
(Belly Drag Not Available with Standard Controls)

#### **Optional Controls**

Proportional Controls with Wireless Boom Controller Control
Electric Outrigger Controls
Stations are Backlit
(Up to 3 Auxiliary Winches)
Raptor Package

#### **Optional Winches**

Optional 35K or 50K Belly Drag

Boom Turret Drags Not Available with the RXP Option

### Rotator Controls – 1150S, 1075S

#### **Standard Controls**

Manual Controls for Boom Functions
Wireless Underlift Remote
Manual Control for All Outriggers
Non-Backlit Control Station
(Room for 1 Optional Auxiliary Drag Winch)

#### **Optional Controls**

Proportional Controls with Wireless Boom Controller Control
Electric Outrigger Controls
Stations are Backlit
(Up to 4 Auxiliary Winches)
Raptor Package (Standard on 1150R)

#### **Optional Winches**

Optional 35K or 50K Belly Drag or Dual 35K Winches

And/or

**Dual 22K Turret Drag Winches** 

#### **Rotator Standard Controls**

1130, 1140, 1075S



Allows for a maximum of 1 deck drag winch. Not available with two or more auxiliary winches. Includes manual control handles for all outriggers

### Rotator Proportional Lighted Controls

New Units See Matrix
Includes LH Only Manual Controls-Includes Panels For Both Sides As Shown
(Also Available As A Field Retrofit Kit 124002824)



Passenger Side

Proportional Controls Include electric control switches for all outriggers

# Optional Passenger Side Manual Lighted Controls Upgrade


A Proportional system is required for use with this add-on option

New Units 124002803
(For Field Retrofit Use 124002800 -Only Includes Lighted Panels For Both Sides)



This option adds manual controls to the passenger side and replaces the panels as shown on the lower right of the previous slide.

### **Colored LED Control Lamps**



Standard on all lighted proportional control rotators.

Optional on all Integrated units.

Has colored LED lamps to identify switch functions.

Optional Colored control handles also shown

#### **Rotator Controls Matrix**

Determine which model in the red, then choose the number of drag winch(es) desired in black for that model. Continue to the right on the same line and select one of the numbers in the either of the green columns, the first number is for non-lighted controls, the second pair is for lighted/proportional controls. Based on your selection, you will need all the part numbers listed in that row in the blue boxes. To add manual/lighted controls to the passenger side, you need to add 124004484 to your proportional controls.


Model	Number of Drag Winches	Standard Controls, Non-Lighted	Proportional Controls, Lighted	25k Drag	35k Drag	50k Drag	Dual 35K Drag	50k Drag	Dual 35K Drag	Dual 15K Turret 1140	Dual 22K Turret 1060S or 1075S/1075S2
1130	0	124004211	N/A	-	-	-	-	-	-	-	-
1130	1	124004211	N/A	124004229	-	-	-	-	-	-	-
1140	0	124004208	124004482	-	-	-	-	-	-	-	-
1140	1	124004208	124004482	-	124002628	-	-	-	-	-	-
1140	2	N/A	124004482	-	-	-	-	-	-	124004201	-
1075S/1150	0	124002588	124004482	-	-	-	-	-	-	-	-
1075S/1150	1	124002588	124004482	-	124002628	-	-	-	-	-	-
1075S/1150	1	124002588	124004482	-	-	124002623	-	124004429	-	-	-
1075S/1150	2	N/A	124004482	-	-	-	124002600	-	124004415	-	-
1075S/1150	2	N/A	124004482	-	-	-	-	-	-	-	124004212-10758
1075S/1150	3	N/A	124004482	-	124002628	-	-	-	-	-	124004212-1075S
1075S/1150	3	N/A	124004482	-	-	124002623	-	124004429	-	-	124004212-1075\$
1075S/1150	4	N/A	124004482	-	-	-	124002600	-	124004415	-	124004212-10758

1150R requires Raptor Package
Raptor Package Optional on all other Rotator Models

# **Dual 22K Turret Drag Winches**

124004212 - 1075S

124004214 - 1150






For customers who may want to add the dual turret winches at a later date, factory provisions can be added on a new unit, contact the factory for details.

# 22K Side Winch Dress Up Kit

124004533 (pairs)





Kenworth or Peterbilt emblem shown is not included

# **Dual 15K Turret Drag Winches**

124004201 for (1140 Only)

An 1140 can have the following winch combinations:

2 Main Winches

2 Main Winches and 2 - 15K Turret Drag Winches

2 Main Winches and 1 - 35K Belly Drag





For customers who may want to add the dual turret winches at a later date, factory provisions can be added on a new unit, contact the factory for details.

### **Provisions - Turret Drag Winches**

Turret Drag Provisions give you the mounting plates, plumbed hydraulic lines and boom end weldment (not the boom end swivels).

1140 – 124004201

1150 – 124004189

1075S – 124004188

Requires Appropriate Controls







Turret Provisions give you everything but the Winches, Cables and Boom End Swivels.

# 1130 25K Belly Drag Winch

Requires appropriate controls



# **Belly Drag Options**

35K – 124002628 1130-1075 Requires Appropriate Controls 50K – 124002623 1140, 1150, and 1075S Only Requires Appropriate Controls






# **Dual 35K Belly Drag Winches**

124002600 Requires appropriate controls-1075S Only



# **Dual H – Belly Drag Options**

Single 50K





Dual 35K





# 1140 RXP





Note new toolbox under legs-now standard (1 each side)

# **Rotator D-Ring Package**



N/A on
Dual H-Beam





1075 Only

### **Rotator Tailboard Options**

Diamond Plate Tailboard Alum Pkg 124002595 Smooth Plate Tailboard Alum Pkg 124004185



### SDU-4 - 143.5" Reach

Standard on 1130, 1140, 1150S, 1075S




#### SDU-4 Lowrider – 165.5" Reach

Optional on the 1130, 1140, 1150, 1075S - 124004191



# HHU - 135" Reach

Standard on 1075S Dual H-beam



### HHU Lowrider – 141" Reach

Optional on 1150S, 1150R, 1075S Dual H-beam



### **H-Beam Front Outriggers**

Optional on All Rotators 3-Stage (262")– 1140, 1150, 1075S - 124004152

2-Stage (212") - 1130 - 124004151



Note holes that allow legs to be pinned fully in or out during a side pull

### Rotator 4-Stage Rear Outriggers

Standard – 1150, 1150R, 1140, 1075S





Not available on 1130, 1130 comes with 3-Stage Version

# H-Beam End Dress Up Kit (pr)

124004532





# H-Beam Large Foot Upgrade

124004544 Dual H-Beam 124004545 Front H-Beam Only 124004604 – for Enlarged Pad





# **Rotator Front Large Foot Upgrade**

124002691 (each)(Top Beam Outriggers)
Does not Fit H-Beam Enlarged Pad



### H-Beam Spade Attachment

124004175 (each) (H-Beam Low Outriggers)

Will not work with Enlarged Pad Option



Note Product Feature of H-Beam Low Outriggers, Standard Tieback Lug for Screw-Pin Shackle Shackle not included

### Rotator Winch-Bucket Alum Dress-Up

Smooth 124004110 For 1075S



Includes 5 pieces

# Rotator Winch Bucket Aluminum Dress Up Kit

Smooth 124004210 - 1130, 1140 Smooth 124004672 - 1150



# **Narrow Battery Box**

124002763







# **Updated Standard Features**

### **5x5 Fabricated Crossbar**

Standard on 5130 and Larger



#### **Xylan Coated Pins**




Xylan pins are used on 3212 and larger units.

Xylan coatings provide lubrication and controlled friction, wear resistance, heat resistance, nonstick and release properties and, at the same time, can also protect from corrosion.

Xylan pins do not eliminate the need for grease.

# 2.5 Degree, 4-Stage Rear Outriggers







# Retrofittable features for Older Units

#### **Underlift Heel Protection Plate**

Now standard Part Numbers for Retrofit



124004464 - 14" Wide - SDU4 and Coach Lowriders (7035, 9055, HHU, and SDU4)

124004465 - 9 1/2" - Wide - 4024

124004466 - 10 1/2" Wide - 5130, 5230, 7035, HHU

124004467 - 17" Wide - Standard Lowriders (7035, 9055)

124004468 - 12" Wide - 9055, Vulcan

# SDU Tilt Cylinder Remote Lube

Retrofit Kit 124003026

