

Miller INDUSTRIES TOWING EQUIPMENT INC.

\$5.00



CENTURY®

CHALLENGER

Vulcan®

EAGLE®

Champion®

HOLMES®

CHEVRON

ACCESSORIES CATALOG VOLUME IV

Visit us Online @ www.millerind.com

CONTACT YOUR DISTRIBUTOR FOR PRICES & DETAILS

TABLE OF CONTENTS

Please click on Content Name or Page # for Part Number Description and Photo.

STRAPS, RATCHETS, & TIE DOWNS	1-4
HOOKS, CHAIN ATTACHMENTS, & CABLE CLAMP	5-7
BRIDLES	8
CHAIN ASSEMBLIES	9
SNATCH BLOCKS, CABLES, ROLLER GUIDES, & LEVEL WINDERS	10-11
MOTORCYCLE ATTACHMENTS & TOW SLINGS	12-13
TRAILER BALLS & HITCH ADAPTERS	14
SCOTCH BLOCKS & CYCLE STAP KITS	15
LIFTING ATTACHMENTS & ADAPTERS	16-19
HD TIRE LIFTS, TOOL BOXES, & WASHDOWN SINK	20
REAR MONITORS & ENGINE INFO CENTER	21
SAFETY EQUIPMENT & CARRIER ACCESSORIES	22-25
DOLLIES & BRACKETS	26-27
SIMULATORS, DRESS UP ITEMS, & FENDER FLARES	28-29
PTO, THROTTLE CABLES, & LATCHES	30
BUMPERS	31
STARTING CABLES	32-33
ELECTRICAL & SWITCH PANELS	34-37
TOW LIGHTS	38-39
LIGHT BARS	40-43
WORK LIGHTS	44
REPLACEMENT LIGHTS	45-47
FORKLIFT ATTACHMENT	48

WORLD LEADER OF TOWING EQUIPMENT

CENTURY[®]

EAGLE[®]

HOLMES[®]

Champion[®]

CHALLENGER[®]




CHEVRON

Distributed By:

LASSO STRAP

The strap is designed to loop around the tire by feeding the loose end of the strap through the ring and "lassoing" the tire. Feed the loose end of the strap into your 2" ratchet buckle to secure the vehicle to your wheel lift. The strap is 2" wide x 100" long.

0304536 Wt. 1 lb.



FINGER STRAP

Measuring 2" wide x 80" long, this strap has a finger hook attached to one end for securing it to your wheel lift. The loose end is fed into a 2" ratchet to secure your load.

174026014 Wt. 1 lb.



FLAT HOOK STRAP

Flat hook straps are designed for use on AATAC brand and similar style wheel lifts. The 2" wide x 100" strap can be attached to the wheel lift retainer arm, while the loose end slides into a 2" ratchet buckle.

174026001 Wt. 1 lb.



DELTARING STRAP

For attachment to the wheel grid of Chevron brand and similar equipment, a delta ring strap is used. The strap is 2" wide x 80" long with a loose end to accommodate a 2" ratchet buckle for securing the vehicle.


174026004 Wt. 1 lb.



BASKET STRAP

The most common basket style straps available utilizes 2" wide material, has 3 sewn-in crossover straps, and 2 black vinyl-coated hooks, one at each end for attachment to a L-Bar. The loose end is free to feed into a 2" ratchet buckle. Aside from wheel lifts, the strap may be used on many brands of car tow dollies.


174026011 Wt. 3 lb.



RATCHET BUCKLE

Standard ratchets are perfect for cinching all of the straps listed above. Its sturdy and compact design allows a wide variety of applications with strap and hook combinations. Operates best with 2" web for any situation.


0304092 Wt. 2 lb.



WIDE HANDLE RATCHET

For more leverage when additional clearance is available, the wide handle ratchet will suit your needs. Similar to the ratchet buckle, it also has an unlimited amount of applications. The pin can be removed to fit different hook inserts for a variety of situations.

174026027 Wt. 3 lb.



RATCHET ATTACHMENTS

These attachments work with both the standard and wide handle ratchets to secure it to your towing equipment

BA0603 Finger Hook Wt. 1 lb.
0800583 Tab Wt. 1 lb.



FINGER HOOK



TAB

POLY-COATED BASKET STRAP

The unique basket strap is designed for Miller products only. The 1" nylon strap is coated in poly increasing the durability and life of the strap, while limiting the bulkiness. The attached T-Hooks and 30" of 5/16" chain will accommodate most tire sizes for a secure fit to the wheel lift.

0902382

Wt. 10 lb.



CROSSOVER STYLE STRAP

These straps are designed specifically to fit the Eagle brand wheel lift system with a flat latch hook on one side and a slip ring to take up slack. The straps are 2" wide x 90" long and slide into a 2" ratchet buckle.

AWS-1003-A

Wt. 2 lb.



STRAP & RATCHET ASSEMBLY

0301682

FII, FIII Wheel Lift Strap

Wt. 10 lb.



VULCAN CRADLE STRAP

The straps are designed to fit the Vulcan cradle snatcher series wheel lift. The straps are 4" wide and are adjustable for two different lengths. Sold individually.

174026016

Wt. 5 lb.

UNDERLIFT TIE DOWNS

Finally a ratchet strap designed to tie down a vehicle to a medium or heavy duty underlift. After raising the vehicle, wrap the loose end of the strap around the axle and cross bar, then feed it back into the ratchet, and tighten. Straps are made from the same nylon material that is used on most of our strap products. The medium duty straps are rated at 10,000 lbs. and our heavy duty straps are rated at 15,000 lbs. Safety chains must always be used.



- 174022022 10,000 lbs. Wt. 15 lb.
- 174022023 15,000 lbs. Wt. 20 lb.



FOUR POINT TIE-DOWN SYSTEM

Designed specifically to secure a vehicle to your carrier and eliminate potential damage. Assembly consists of a two inch ratchet with 1' of 5/16" chain that inserts into the carrier beds keyholes or grab hooks. The adjustable strap will accommodate a wide range of tire dimensions and can be installed standing beside the carrier. Four assemblies must be purchased to complete the set. (Sold individually)

174022021

Wt. 10 lb.

CLUSTER STRAP ASSEMBLY

Cluster assemblies replace your J-hook & chains to help eliminate the possibility of suspension damage when securing a vehicle on your carrier. A cluster hook assembly is attached to a 90" strap. A standard ratchet, and 1' of 5/16" chain are also included.



174022024

Wt. 8 lb.

CAR CARRIER TIE DOWN KIT

This carrier tie down kit comes complete with 4 sets of straps and ratchets to secure a vehicle to your carrier bed. A chain is attached to one end of the strap that is inserted into a key slot in the middle section of your bed, the strap loops over the tire and is fed into a ratchet that also comes complete with a chain that is inserted into another key slot at the end of your carrier. Simply tighten down for a secure and damage free hook up.



124002643

Wt. 25 lb.




CARRIER TIE-DOWN STRAPS

Finally a tie-down attachment for Miller Industries aluminum carriers. The kit includes four straps that have extra large rings sewn into one end, with a 1/2" bolt and nut in the other to make it possible to tie down a load over the side of your carrier. Sold in sets of four.

124001342

Wt. 10 lb.



RATCHET ASSEMBLY

Ratchet strap assemblies are the perfect item for securing loose loads, strapping down a hood, or doors that are open on a damaged vehicle. They come complete with your choice of hooks attached to one end of the 2" x 27' strap and a wide handle ratchet for applying extra pressure.

- | | | |
|------------------|---------------------------|-------------------|
| 174022029 | 2" Flat Hook Strap | Wt. 10 lb. |
| 174022030 | Finger Hook Strap | Wt. 10 lb. |



STEERING WHEEL STRAP

An effective and inexpensive method of securing the steering wheel. Loop the strap around the steering wheel and clamp the other end under the seat or brake pedal and cinch down on the strap.

- | | |
|------------------|------------------|
| 174022044 | Wt. 2 lb. |
|------------------|------------------|



DOUBLE HOOK STRAP

The easiest steering wheel strap to use. You simply place one of the hooks around the steering wheel and the other around the brake pedal or under the seat. Cinch down on the loose end to tighten up the strap, simply push the lever on the cam buckle to release.

- | | |
|------------------|------------------|
| 174022041 | Wt. 2 lb. |
|------------------|------------------|



AXLE STRAP

Just the right item for those who tow custom cars and do not want chains to touch the vehicle's suspension. You simply wrap the strap around the axle or frame and attach your J-hook to the two D-rings and secure the vehicle.

- | | |
|------------------|------------------|
| 174022037 | Wt. 3 lb. |
|------------------|------------------|



TIE DOWN

Versatile 1" cinch straps have many uses. They have vinyl coated hooks attached at each end, and an easy to operate cam buckle for securing the strap. May also be used in conjunction with our motorcycle sling straps for securing to the wheel lift.


- | | |
|------------------|------------------|
| 174022049 | Wt. 1 lb. |
|------------------|------------------|



1" RATCHET STRAP

Versatile and practical 1" ratchet straps have many applications. Use as a ratchet strap for transporting a car in your dollies or to secure loose sheet metal on a vehicle. Double vinyl coated hooks, 1" mini ratchet, and 6' of 1" strap are included.

- | | |
|------------------|------------------|
| 174022051 | Wt. 2 lb. |
|------------------|------------------|



MOTORCYCLE SLING

Use these slings in conjunction with your wrecker boom and wheel lift to lift and transport motorcycles. Put one strap around the front forks, one strap around rear frame, attach to winch cables and lift. Secure the wheels to the crossbar using our tie down straps. Sold as a set.

- | | |
|------------------|------------------|
| 174022033 | Wt. 3 lb. |
|------------------|------------------|



T-HOOK

By adding these attachments to your existing chains you are able to hook to a vehicles frame, virtually eliminating the possibility of suspension damage.

0304019

Wt. 1 lb.



MINI FORGED J-HOOK

Mini J-hooks are designed to simply insert into a hole in the frame, instead of the vehicles suspension. The hook has 4,700 lb. capability.

174024011

Wt. 1 lb.



CLUSTER ASSEMBLIES

The best designed assembly for car carriers yet. It combines an R-hook, T-hook, and a mini J-hook, with large welded links so you can connect a grab hook or other securing devices to it.

174024013

Wt. 5 lb.



5,400 lb.



5,400 lb.

FORGED J-HOOK

Specially forged alloy steel designed J-hooks for 5/16" Grade 70 or 3/8" Grade 43 chain. These are by far the strongest J-hooks you can buy, the 8" and 15" hooks are rated at 5,400 lbs. They both have an extra large diameter eye to make attachment easier and an I-Beam design for strength.

174024016
174024018

15"
8"

Wt. 5 lb.
Wt. 4 lb.

STANDARD BENT HOOK

New style J-hooks make replacing worn out and damaged hooks hassle-free. With the new clevis pin attachment designed right into the end of the hook, you simply pull the pin, to install onto your chain. These hooks are built using 7/8" high-carbon steel, and have a working capacity of 3,000 lb.

174024019
174024021

15" Clevis
8" Clevis

Wt. 5 lb.
Wt. 4 lb.



Clevis



RATCHET BINDER

Ratchet style load binders are very popular because of their hassle-free operation. They are heavy duty, rigid, and have an all steel construction. They come with short reach hooks for maximum take-up, and also meet D.O.T. and C.V.S.A. specifications. To add tension, attach both ends to your chain and rotate the handle to activate the ratchet. To release, reverse and ratchet until loosened.

174024005

Wt. 14 lb.



LOAD BINDER

Most common over-center load binder on the market. It will accommodate 5/16" to 3/8" chain and has 360 degree swivels on both ends for easier handling. It also has drop forged hooks for maximum take-up, and a special handle that prevents pinched fingers. Meets D.O.T. and C.V.S.A. specifications.

174024001

Wt. 9 lb.



ANCHOR SHACKLE

Anchor shackles are drop forged and have an endless amount of uses. This style uses a clevis pin with cotter pin to attach it.

174023068	3/8"	Wt. 1 lb.
174023071	1/2"	Wt. 1 lb.
174023075	5/8"	Wt. 1 lb.



SCREW SHACKLE

Same quality as our anchor shackles, except they utilize a screw pin for attachment.

174023077	3/8"	Wt. 1 lb.
174023080	1/2"	Wt. 1 lb.
174023083	5/8"	Wt. 1 lb.



DOUBLE CLEVIS

Here is another method of attaching accessories to your existing chain assemblies or to link two chains together. The adapter is drop forged, and comes with two clevis pins, and two cotter pins.

174023034	5/16"	Wt. 1 lb.
174023037	3/8"	Wt. 1 lb.
174023040	1/2"	Wt. 1 lb.

HAMMER LOCK

This item is fast becoming the item of choice for chain repair and hook replacement. It is very simple to use, hook the chain in one end and attachment in the other end, insert the spacer in the center, and hammer in the pin. They are reusable and match the strength of a factory weld.



174023043	5/16"	Wt. 2 lb.
174023047	3/8"	Wt. 2 lb.
174023049	1/2"	Wt. 2 lb.



CLEVLOK® HOOK LATCH

This Clevlok® hook latch is found on many safety chain hooks used on light and medium duty wrecker bodies. It utilizes a roll pin for attachment, and is spring loaded for induced closure. It is built with high grade material and designed specifically for the Clevlok brand hooks.

0304394	5/16"	Wt. 5 lb.
174023065	3/8"	Wt. 1 lb.



COLD SHUT

The most common item used for repairing links or attaching accessories to existing chain assemblies. Loop it through the chain and hammer or clamp it shut in a vise. The cold shut may be welded to eliminate the risk of opening.

174023055	3/8"	Wt. .5 lb.
174023052	7/16"	Wt. .5 lb.
174023058	1/2"	Wt. .5 lb.



GUNNEBO® SAFETY HOOKS

The Gunnebo brand is one of the finest safety hooks available today. They attach using a clevis pin that is held in place by two roll pins, one at each end. The hook uses a heavy duty spring safety latch to keep it securely in place.

174023014	1/4" - 5/16"	Wt. 1 lb.
174023017	3/8"	Wt. 2 lb.
174023020	1/2"	Wt. 4 lb.
174023022	5/8"	Wt. 8 lb.



GUNNEBO® LATCH HOOKS

This hook utilizes the same quality as our safety hooks but takes the word safety one step further. These hooks actually lock shut when closed by incorporating a latch lock into the hook so that it will not open until unlatched.

174023025	1/4" - 5/16"	Wt. 2 lb.
174023028	3/8"	Wt. 3 lb.
174023031	1/2"	Wt. 4 lb.

GRAB HOOKS

Grab hooks are built out of grade 80 material and use a clevis pin style attachment for increased versatility. Hooks are made for specific chain dimensions.

174023002	5/16"	Wt. 1 lb.
174023005	3/8"	Wt. 1 lb.
174023008	1/2"	Wt. 2 lb.
174023011	5/8"	Wt. 2 lb.



WEDGE SOCKET

Wedge sockets are used for in-field repair of a damaged cable. To install feed the cable through socket, insert the wedge and apply pressure to the cable. The more pressure applied the tighter the socket gets. Designed for temporary repair only.

174007064	3/8" - 7/16"	Wt. 3 lb.
174007071	1/2" - 5/8"	Wt. 8 lb.
174007072	1/2" - 3/4"	Wt. 11 lb.



WINCH CABLE CLAMPS

A handy temporary clamp used for in-field repair of your winch cable, by clamping the loose end to the lead end of your cable. They are made from drop forged steel, not malleable steel offered by other suppliers. Three clamps are necessary for safe use.

0302376	3/8"	Wt. .5 lb.
174007085	1/2"	Wt. .5 lb.
174007089	5/8"	Wt. .5 lb.





CLUSTER BRIDLE

The most useful bridle assembly that money can buy. Cluster hook assemblies are attached at each end of a 24" leg of grade 70 chain and also includes grab hooks for short chaining. Assemblies are best to help eliminate any type of suspension damage.

174021017

Wt. 15 lb.



15" J HOOK CHAIN BRIDLE

This chain is equipped with two 24" legs of 5/16" grade 70 chain with two 15" J-hooks and T-hooks. Two grab hooks built into the top of each chain leg making this a very versatile bridle.

124001267

Wt. 15 lb.



8" J HOOK CHAIN BRIDLE

Same bridle design as our 15" J Hook chain bridle with the exception this one utilizes 8" forged style J-hooks along with T-hooks attached at each end on the bridle. The short J-hooks are ideal for compacts and sports car applications.

174021021

Wt. 14 lb.

15" J HOOK NYLON BRIDLE

Sturdy nylon webbing 24" long with 15" J-hooks make reaching under the vehicle easy. At 45 degrees, the bridle has a 4,200 lb. work load capacity. Nylon V-assemblies will reduce the risk of front end damage.

174021009

Wt. 13 lb.



8" J HOOK NYLON BRIDLE

A design similar to our 15" J Hook bridle with the exception that it uses 8" forged J-hooks and a pair of T-hooks. The nylon webbing is 3" wide and each leg is 24" long. Short hooks are ideal for compact or sports car towing.

174021003

Wt. 13 lb.



NYLON CLUSTER BRIDLE

You get the most versatile V-bridle with the gentleness of nylon web. One end of each of the 24" straps are attached to a pear link, 24" long webbing straps with cluster hook assemblies on the other end (mini J-hook, R-hook, T-hook). Insert in the vehicles frame instead of the vehicles suspension to reduce the risk of damage. Slots are present in the front and rear frames of nearly all vehicles.

8

174021001

Wt. 12 lb.



FORGED ASSEMBLIES

Forged chain assemblies are widely used in the industry today. They utilize 5/16" grade 70 chain with special forged J-hooks, on the other end there is a grab hook and T-hook mounted with hot rolled links. The strength of the forged design has no equal.

10' Chain Assemblies

174025005	8" J-hook	Wt. 14 lb.
174025001	15" J-hook	Wt. 15 lb.

8' Chain Assemblies

174025004	8" J-hook	Wt. 11 lb.
174025002	15" J-hook	Wt. 12 lb.

6' Chain Assemblies

174025008	8" J-hook	Wt. 9 lb.
174025006	15" J-hook	Wt. 10 lb.



CHAIN KIT

This Chain kit contains the most common requirements for your day to day heavy duty Towing and Recovery operations. We have tried to offer you a complete package at an affordable price. See below for a complete list of contents.

Kit Includes:

- 2 - 5/16" x 10' Grade 70 Chains
- 2 - 3/8" x 10' Grade 70 Chains
- 2 - 5/16" x 20' Grade 70 Chains
- 2 - 3/8" x 20' Grade 70 Chains
- 2 - 1/2" x 10' Grade 80 Chains
- 2 - 1/2" x 20' Grade 80 Chains
- 2 - 5/16" x 3/8" Load Binders

174025093

Wt. 352 lb.



CLEVIS HOOK SAFETY CHAIN

The finest safety chain you can buy. It has Grade 70 transport chain with clevis hooks at both ends. The detachable style hook makes the chain more versatile making changes in the field possible.

174025021	5/16" x 10'	Wt. 11 lb.
174025025	3/8" x 10'	Wt. 20 lb.
174025029	5/16" x 20'	Wt. 20 lb.
174025034	3/8" x 20'	Wt. 30 lb.



GRADE 80 SAFETY CHAIN

These chains are designed for the tower looking for the ultimate in strength. They are 1/2" grade 80 chains with Gunnebo Johnson® cradle grab hooks attached at each end. These chains are sold individually.

174025037	10'	Wt. 45 lb.
174025039	20'	Wt. 65 lb.




GRADE 100 SAFETY CHAINS

The same chain that you will find bolted to the back of our heavy duty wreckers. They are built using 1/2" x 14' grade 100 chain with Gunnebo Johnson® latch hooks at each end. The complete chain has been dipped in yellow PVC for high visibility and rust-resistance.

0303445	Wt. 40 lb.
---------	------------

Gunnebo Johnson® offers the best snatch block for the money. They all come with a bronze bushing that can be greased with the exception of the 2 ton block which cannot be greased. They have an easy to remove screw pin for installation, and secure safely. We feel that once you've had the opportunity to use one of these superbly designed blocks that you'll agree, Gunnebo Johnson® is the only choice.



Part Number	Rating	Sheave Dia	Cable Size	Weight
174017121	2 TON	3"	5/16 - 3/8"	9 lb.
124001016	4 TON	4"	3/8 - 1/2"	17 lb.
124001058	8 TON	6"	5/8 - 3/4"	32 lb.
124001886	12 TON	10"	3/4 - 7/8"	54 lb.
174017136	22 TON	10"	1 - 1 7/8"	128 lb.

SNATCH BLOCK LATCHES

These cast latches fit our Gunnebo Johnson® snatch block hooks. They have an easy to attach pin with e-clip designed for easy maintenance and replacement. Mounting instructions and hardware included.

- | | |
|-----------|--------|
| 174017126 | 2 ton |
| 174017125 | 4 ton |
| 174017124 | 8 ton |
| 174017127 | 12 ton |

SIDE PULLER JR®

The Side Puller Jr® is a 10 lb. vehicle alignment tool consisting of a quick connect-disconnect pulley that fits into a socket. It eliminates damage to winch drums, side rails, and even to the trucks bed.

It will save you time and money by making recovering vehicles in parking lots, curb sides, or wherever you have to do lot of maneuvering to get a vehicle into proper position to winch it onto your carrier. It will also make it easier to unload a vehicle lacking tires or wheels by simply wrapping the winch cable around the pulley then back up to the vehicle using the winch to pull the vehicle off your carrier.

To install Side Puller Jr® use the retainer plate as a template, position it at the rear of the bed in the center. Cut the hole and mount it. It's that simple. This device should not be used for vehicle recovery, consult your owners manual about vehicle recovery with a car carrier.

174017001

Wt. 10 lb.

SIDE PULLER 2000®

Side Puller 2000® is similar to the Side Puller Jr® with the exception that the mounting socket is mounted flush with the carrier bed surface. It has the same qualities as the Jr., install the pulley in the socket pull the vehicle up or down the carrier and you're done. Supplied with mounting hardware and installation instructions.

174017003
174017004

STEEL CARRIER
ALUMINUM CARRIER

Wt. 11 lb.
Wt. 11 lb.





WINCH CABLE

We offer replacement winch cables for all of your wrecker and carrier needs. Winch lines are configured in a 6 x 19 fiber core center which drops your recoil rate over steel core center cable to around 33%. This is a factor that normally goes unnoticed when replacing your winch line. We have the most common sizes in stock, other sizes and lengths are available. Please call your distributor.

STANDARD HOOK (IMPORTED)

0301669	3/8" X 50'	Wt. 20 lb.
0300219	3/8" X 100'	Wt. 32 lb.



ROLLER GUIDE



Roller Guides are designed to help keep your winch cable tightly wound onto the drum. They also help prevent bird nesting of the winch cable by keeping constant pressure on the cable. The bottom roller is spring loaded and can be adjusted to various cable dimensions.

174017143	7"	Wt. 18 lb.
174017141	11"	Wt. 24 lb.

CABLE HOOK LATCH

The exact replacement latch kits found on most cable hooks on the market. Comes complete with hardware.

0304358	3 ton	Wt. .5 lb.
174007102	4-1/2 ton	Wt. .5 lb.
174007104	7 ton	Wt. .5 lb.
174007107	11 ton	Wt. .5 lb.



SNATCH BLOCKS

These Snatch Blocks were designed to give you years of dependable service at an affordable price. These blocks can be greased to make service life longer with the exception of the 2 ton Snatch Block. They also incorporate an inexpensive hook latch system for low cost maintenance in the field.

174017202	2 Ton	Wt. 7 lb.
174017204	4 Ton	Wt. 15 lb.
174017208	8 Ton	Wt. 31 lb.
174017215	15 Ton	Wt. 53 lb.



RAMSEY LEVEL WINDER

This level winder, designed specifically for Ramsey winches, helps to keep your winch cable wound uniformly on your drum by applying even pressure to the cable as it is being taken in. They are easy to install and will increase the life of the cable.

124001567	11" Drum 8K	Model 1	Wt. 12 lb.
124002074	11" Drum 10K	Model 4	Wt. 12 lb.
174007111	9-3/4" Drum	Model 5	Wt. 11 lb.



AUTO LOAD MOTORCYCLE ATTACHMENT

With the attachment, your autoloader wrecker can safely transport motorcycles of various sizes with spoked wheels. Comes with steel troughs for front and rear wheels, a pin to secure troughs, and 6 cam buckle tie-down straps. Instructions included.

124002335	Express	Wt. 53 lb.
124002471	Midnight Express	Wt. 52 lb.
124008003	Vulcan Intruder	Wt. 53 lb.
124002625	Vulcan 807	Wt. 53 lb.

CENTURY[®] Express

Vulcan[®] INTRUDER

AUTO LOAD TOW SLING

The auto-load tow sling is similar in design to our auto-load tow bar but includes a set of rubber tow straps mounted to the crossbar. Designed to be used with the Vulcan 807, Century 311, or the Century 312 auto-load units. The sling comes complete with tailboard mounting brackets and tow chain assemblies.

144001298 **Wt. 140 lb.**



AUTO LOAD TOWBAR

Towbar designed specifically for auto-loading wreckers with an extendable recovery boom. Towbar comes complete with mounting hardware and tow chains. Towbar disassembles easily when not in use and can be stored on the bed with provided brackets. The towbar is intended for light duty, instructions included.



124002293 **Wt. 125 lb.**



HEAVY DUTY TOW BAR

The heaviest tow bar available. It incorporates the largest crossbar with the heaviest slide arms available. The slide arms are constructed using 3-1/2" x 3/16" wall tubing, and the crossbar uses 5.63 round tubing for superior strength. The slide arms utilize cam-locks for securing the length of the arms which also have grease fittings for keeping them functioning properly, while the crossbar comes with 7/8" shackles for lifting and at the ends you will find 5/8" grab hooks attached. Comes complete with a set of hook up chains. Mounting brackets sold separately.

124001041 **Wt. 261 lb.**



MEDIUM DUTY TOW BAR

Medium tow bars have superior strength and durability. Incorporating the use of extra large spacer bars, a smooth faced crossbar and cam locks on the spacer bars for easier use this might be the best tow bar ever designed. The crossbar comes with 1/2" grab hooks at the end for extra heavy duty lifting, and 3/4" shackles for attaching your winch cable to. The bar is supplied with everything pictured here including a set of hook up chains. Mounting brackets sold separately.

124001529 **612, 552 & 4812** **Wt. 194 lb.**

MEDIUM DUTY TOW BAR

This towbar comes complete with mounting hardware and is available in two kits, one for Vulcan and another for Century. The Century kit is designed to pin into the tailboard on a Formula I or 6500 body in the existing tow sling brackets. The Vulcan kit is designed for the 896 and 897 and includes a set of bolt on tailboard brackets. Both kits come complete with hookup chains and rubber doughnuts on the crossbar to help eliminate damage.

124002451 **Century FI & 6500** **Wt. 191 lb.**
394009023 **Vulcan 896 & 897** **Wt. 194 lb.**



TOW SLING

Our tow slings are designed for specific applications. We stock separate tow slings for the Century, Challenger, Vulcan, and Holmes brands. The Century 411 & 412 brand sling has 29-1/4" slide arms, the Challenger brand sling has 32-3/4" arms, the Holmes brand tow sling has 34-1/2" arms and the Vulcan brand has 28-1/2" arms. All of our slings are supplied with all necessary hardware and sling chains.

124001583 **Century 411 & 412** **Wt. 175 lb.**
124001228 **Century 602 & 612** **Wt. 178 lb.**
124001937 **Challenger 4700 & 4800** **Wt. 175 lb.**
124001936 **Holmes 4401, 4402 & 552** **Wt. 181 lb.**
394009021 **Vulcan Heavy Duty** **Wt. 213 lb.**

CABLE REINFORCED STRAPS

Cable straps are for the tower who wants the ultimate in strength and durability. These straps measure 8" x 42" with 3 cables molded into the middle of the straps connecting the mounting holes, making them the strongest money can buy. Cable straps have a Miller Industries or Vulcan Equipment in a raised logo. Sold as pairs.

174017083 **Miller Industries** **Wt. 7 lb.**
394005025 **Vulcan Equipment** **Wt. 9 lb.**

REPLACEMENT SLING STRAPS

These are the most widely used sling straps in today's towing industry. They are pre-cut and are punched with four holes, three plies and are 3/8" thick. Used on most major brands of towing equipment. Sold individually.

174017079 **10" x 45"** **Wt. 9 lb.**



PINTLE MOUNT

This adapter is designed to bolt a pintle hitch or similar attachment to, so it can be used in a receiver style trailer hitch without any modifications. It comes pre-drilled to accommodate multiple heights.

174017153

Wt. 13 lb.



PINTLE HOOK

Rigid drop forged alloy pintle hooks have a 6,000 lb. vertical rating and a 30,000 lb. maximum gross trailer load limit. They also come with a safety pin attached to the pintle hook to prevent loss or misplacement.

174017156

Wt. 12 lb.



COMBINATION HITCH

Forged alloy steel combination hitches make your trailer towing jobs much easier. It combines a 16,000 lb. pintle hitch with a 16,000 lb. trailer ball to be one of the most universal trailer towing systems available. They include a chrome moly 2" trailer ball, and an attached safety pin for maximum assurance.

174017159

Wt. 13 lb.

CONVERT-A-BALL

The best tow ball system ever designed. This heavy duty tow ball kit includes one shank and three balls, sizes 1-7/8", 2" and 2-5/16". To install, mount the heavy duty shank on the hitch, slide a ball size over the shank, secure the appropriate size ball and it's ready to tow. Comes complete with storage case and instructions.

174017093

Wt. 7 lb.



TRAILER BALL ADAPTERS

Adapters will enable the wheel lift to tow via towball. All units come with a 2" trailer ball, mounting bolts and a primered adapter.

174017103



0905476

Carrier Adapter (Feb 01 - Current)

Wt. 15 lb.

514520000

Carrier Adapter (Up to Jan 01)

Wt. 15 lb.

124001196

FI Wheel Lift (Up to July 96)

Wt. 15 lb.

124002264

FI Wheel Lift (Mar 97 - Current)

Wt. 19 lb.

124001954

FIII Wheel Lift

Wt. 33 lb.

124001956

F6500

Wt. 22 lb.

174017103

Vulcan 890 Series

Wt. 22 lb.

124002390

614 Trailer Ball Adapter

Wt. 31 lb.

124002602

211, 212 & EB3 Trailer Ball Adapter

Wt. 31 lb.

124001196



124001956



0905476



124001954



124002264



124002602





ALUMINUM BLOCKS

Aluminum blocks have the highest strength to weight ratio. They are sold in pairs and will grip solid on most surfaces regardless of the weather conditions. The blocks measure 8-1/2" wide x 7-1/4" tall x 12" deep.

174002292

Wt. 12 lb.



SCOTCH BLOCKS

The strongest of scotch blocks that can be purchased. They are built using 3/16" steel, and a 26" length of 5/16" chain attached for securing it to the back of your wrecker, 3/8" chain is used for the heavy duty blocks. The foot edge of the scotch block is serrated for extra grip. Sold in pairs.

174002289
174002291

Light Duty
Heavy Duty

Wt. 25 lb.
Wt. 36 lb.



RUBBER BLOCKS


These rubber blocks were designed for unusually heavy loads. Built out of tough reinforced rubber, resistant to sun, salt, oil, and acid. Almost indestructible. Dimensions 8" wide x 7" tall x 9-1/4" deep. Sold in pairs.

174002299

Wt. 9 lb.

SPADE ATTACHMENT

We now offer a spade attachment for the F1 and F6500 wheel lifts. It attaches from the bottom side of the wheel lift outer boom, install the supplied pin, and hydraulically insert it into or on the ground to give your wrecker more stability and pulling power.



124001430
124001955

F1
F6500

Wt. 27 lb.
Wt. 30 lb.

MOTORCYCLE STRAP KIT

Towing motorcycles requires equipment suited specifically for the operation. The motorcycle strap kit was developed to boom lift motorcycles and avoid damage. Consisting of one 4' and one 6' nylon sling, each sling is placed through the frame of the motorcycle and then attached to the winch hook. The tires are then anchored to the wheel lift bar utilizing two 1" ratchet straps. It is then hoisted and ready to transport. Comes with carrying case. Slings only are available as part # 174022033.



174022027

Wt. 43 lb.





FIFORK ADAPTER

This fork adapter is just like our other standard adapters but is designed to fit a 3-1/2" x 3-1/2" crossbar found on the F6500 wheel lift and Formula II wheel lift. Made from the same cast alloy material as our other adapters, it makes these attachments unbeatable. Sold individually.

0804197

Wt. 25 lb.



OFFSET LOW PROFILE FORK HOLDER

These adapters were designed specifically to fit the 4" x 4" crossbar. They have an offset design to offer greater versatility when using your lift forks. They are made from light weight cast alloy and have the standard 2" socket. A pair of grab hooks are welded to the back of the adapter to facilitate safety chains. Sold individually.

0803580
0803581

Left
Right

Wt. 25 lb.
Wt. 25 lb.



FIFORK ADAPTER

Adapters are designed specifically to fit a 3" x 3" crossbar such as the FI wheel lift. As with all the forks, they are cast from a steel alloy which makes them stronger and lighter. On the back side they have been tapped to accept the T-handle which is used to secure the adapter to the crossbar. Sold individually.

0803590

Wt. 23 lb.



OFFSET 5" FORK HOLDER

Low profile fork holders are just like our 4" with the exception that they fit a 5" x 5" crossbar. They are built using the same cast alloy material that our other quality products are produced from. Sold individually.

0803591
0803592

Left
Right

Wt. 25 lb.
Wt. 25 lb.

RISER BRACKETS

These brackets are used when extra height is needed when towing. The riser brackets are manufactured in a welded design and incorporate a grab hook welded to the side. They are available in 4" and 5" versions to fit 4" and 5" crossbars. Sold individually.



0802253
0801459

4" Riser
5" Riser

Wt. 25 lb.
Wt. 28 lb.



CHAIN HOOK ADAPTERS

Hook adapters are designed to fit into the cast offset low profile fork adapters. They are used when lifting a load and chains are needed. For convenience they may be slid back and forth on the crossbar to avoid any obstacles that might be hanging from or bolted to the vehicle's frame. Sold as pair.

124002229

Wt. 25 lb.



KING PIN PLATE

This plate was designed to be attached to the fifth-wheel pin on a large trailer so that it can be towed without the presence of a tractor. Slide the plate on to the pin, attach your chains, secure them to your sling, and lift. Please remember to use your safety chains anytime you are towing for the utmost security.

124001674

Wt. 33 lb.

SPRING LIFT BRACKET

This bracket was designed to lift the vehicle to be towed from the front spring hangers. You simply install them in the fork holders, position them right under the spring hangers and pick the vehicle up. Once you have done this, install the supplied safety pin behind the hanger in one of the pin holes so the towed vehicle can't get out of the bracket. Remember to always use Safety Chains while in tow. Sold in pairs.



124001389

Wt. 34 lb.

SHORT FORKS

Short forks come in two sizes, 3" wide and 4-1/2" wide, which are used for picking up from the leaf spring, axle, or frame. They are designed to give you 3-1/2" of clearance between the crossbar and the bottom of the fork cut-out. Shaft has a 2" diameter. Sold individually.



- 0200018 3" Mouth Wt. 10 lb.
- 0200019 4-1/2" Mouth Wt. 13 lb.

MEDIUM FORK

Medium forks can be used for lifting from the frame, springs, or axle. They are also made out of cast alloy material, and are very light weight. They have a standard 2" mounting shaft, and raise the height of the lifting point 4-1/2" off the crossbar of your wrecker. Sold individually.



- 0200020 3" Mouth Wt. 15 lb.
- 0200021 4-1/2" Mouth Wt. 18 lb.

TALL FORK

The tall fork will get 9" of clearance, needed when lifting a vehicle with a low front end. These forks are available with 3" or 4-1/2" width with a 2" mounting shaft, and comes in our exclusive cast alloy design. Sold individually.



- 0200022 3" Mouth Wt. 18 lb.
- 0200023 4-1/2" Mouth Wt. 22 lb.

6" MEDIUM OFFSET AXLE FORK

This Axle fork is designed for all wheel drive front axles and many rear axle applications that utilize a rounded axle housing. The fork has a 6" opening and is offset for additional clearance. Sold in pairs.



- 124002565 Wt. 15 lb.

FORK REDUCER

This attachment was designed to be used when the front axle you are picking up is narrower than the throat of the fork you are using. Simply slide the adapter over one ear of the fork and you have created 1" narrower opening in your fork without having to carry extra attachments in your tow vehicle. Remember to always use safety chains. Sold in pairs.



- 124002430 Wt. 4 lb.

OFFSET AXLE FORK

An axle fork to be used with Mack® trucks and others. They were designed with an offset to clear the aft housing, still offering you all of the strength and durability you have come to rely on from Miller Industries products. This fork is also cast out of steel alloy and is much lighter than the conventional style welded forks. Sold individually.



- 0200024 Wt. 12 lb.

HOLLOW BEAM AXLE LIFT FORKS


Specially designed for lifting the Hendrickson Airtek/Steertek front axle is the hollow beam lifting fork. Special care must be taken when lifting the air suspension hollow beam front axles currently being used on many of the Volvo VNT and Freightliner Century Tractors making this fork or a front tire lift a must. Sold in pairs.



- 124002615 Wt. 42 lb.



Miller Industries has designed the latest innovation in lift fork technology. The forks are cast in steel alloy, that weighs half as much as a conventional welded style lift fork. Available only through Miller Industries Distributors.



U-BOLT

The U-bolt lifting attachment is designed for faster and easier rear hook-ups on many tractors. The attachment is centered on one of the rear axle u-bolts for the pick. After lifting, always use your tie downs and safety chains. (For rear tows only)

124002632

Wt. 5 lb.



LIFT EYE ATTACHMENT

The Lift Eye Attachment is designed for front lifts on many models of the RTS, GMC, and Nova buses

The eyelet that is bolted on to the jack pad point on these buses is inserted into the fork of the lift eye attachment and a pin is inserted to secure it. Always be sure to attach your safety & tie down chains.

124002634



Wt. 23 lb.



SIDE PULL STABILIZER

The Side Pull Stabilizer is designed to pin on and off the multiposition rear spades on the Century and Challenger integrated and fixed boom heavy duty towing and recovery units. The side pull stabilizer provides additional stability on side and corner pull applications. (One per kit)

124002618

Wt. 40 lb.



OFFSET FORK ADAPTER EXTENSIONS

These extensions were designed to provide extra width out of the lift fork adapters when needed. Place the extensions into the fork adapters, install the retaining bolts, slide to the desired width and it's ready to use. Extensions sold by the pair and will only fit the low profile cast fork holders.



124002230

Wt. 34 lb.


LOW PULL "D" RING KIT

The low pull D ring kit is designed to be used on Century and Challenger Heavy Duty units with multiposition rear spades. The kit includes 2 - D rings and wrist pins that are easily attached to the support bases that are attached at the top plates of the spade.



124002537

Wt. 10 lb.



TOW BALL ADAPTER

Miller Industries has now made it possible to tow ball type trailers with your heavy duty wrecker. Simply install your Pintle Hook Attachment (124002211 shown on the right), bolt on the Tow Ball Adapter and you're set. Remember to always use your safety chains. Covert-A-Ball Kit (174017093 seen on page 14) is not included.

124002431

Wt. 4 lb.




PINTLE HOOK KIT

The pintle hook bracket is designed to accept the 5th wheel plate and the king pin adapter. Install it into the fork holders from the top of the wheel plate, or from the bottom using the king pin adapter. It also includes a pintle hook rated at 15 tons for maximum capacity when towing.

124002211

Wt. 35 lb.



5TH WHEEL ADAPTER KIT

This kit when used in conjunction with our pintle hook kit simplifies the towing of trailers. Install the pintle hook kit into your fork holders and then install the 5th wheel adapter with the pin provided and you are ready to hook up to the trailer to be towed. Mounting pin and keeper included.

124001833

Wt. 45 lb.



KING PIN ATTACHMENT

Our king pin attachment is designed to also be used in conjunction with the Pintle hook kit for towing a tractor from the 5th wheel plate. Install the adapter in the fork holders using the lock pins, then the king pin attachment from the bottom and you're ready to tow from the 5th wheel plate. Always use safety chains.

124001948

Wt. 20 lb.

BOOM ANGLE INDICATOR

The Boom Angle Indicator provides the operator with an exact reading of his boom elevation with only a glance. A standard feature on all Miller Industries rotators, the Boom Angle Indicator is available as an option on both integrated and fixed boom heavy duty towing and recovery units. Mounting hardware is included for easy installation on integrated models, fixed boom models will require you to drill and tap for proper installation.



124002440
0303887

Lighted
Non-lighted

Wt. 8 lb.
Wt. 8 lb.



WASHDOWN SINK & TOWEL DISPENSER

Designed to be mounted on the tool compartment door of your Heavy Duty units, the washdown sink allows you to clean your hands after a hook up or recovery job. The sink is easily mounted and comes with a small heater that is connected to a toggle switch to keep the water from freezing in the winter. The sink is easily filled from the top with approximately 1 quart of water and is easily drained with a small hose connected to the base. The sink bowl folds up when not in use and is available in a kit that also includes the paper towel dispenser shown in the picture.

124002562
174019076

**Sink & Towel Dispenser
Replacement Towels**


**Wt. 13 lb.
Wt. 1 lb.**

ALUMINUM STORAGE BOX

The ideal solution for storage of hand tools and small parts in your Heavy Duty Century or Challenger unit is this Aluminum Storage Box. The box is 23" wide x 27" tall x 18" deep and can be easily mounted in your heavy duty unit. The box consists of 7 drawers (two 2" and five 2-1/2" deep) that easily operate on roller bearing slides. Double thumb locks keep drawers securely closed when traveling.

0307363

Wt. 96 lbs.



STORAGE BRACKET

Designed to fit into the compartments on Century or Challenger Heavy Duty units, the Storage Bracket keeps your #1914 Tire Lift Receivers and "L" Arms stored neatly and securely in a vertical position, taking up less compartment space. The hinged bracket also allows you to stow or remove the receivers at a lower lifting height.

124002587

Wt. 42 lb.

BUS LIFT SYSTEM

Miller Industries offers a wide range of attachments to help you get the job done with as much ease as possible. This Bus Lift is designed to pick up tires of a disabled vehicle without touching the frame or the vehicles suspension. Bus Lift attachments come complete with grids, extension tubes, shoes, and straps.



124002467

124002033
124001914
124002467

4 x 4 Bus Lift 12,000 lbs. Lift Rating
5 x 5 Bus Lift 13,000 lbs. Lift Rating
Euro Bus Lift 13,000 lbs. Lift Rating

Wt. 425 lb.
Wt. 450 lb.
Wt. 492 lb.



124002033 & 124001914

COLOR CAMERA & FLAT SCREEN MONITOR

This 5" Color Flat Screen Rear Vision Camera is the latest in rear vision technology and is unbelievably cost efficient. This camera is top of the line with a Flat Screen Color Monitor that will be effective in almost any towing situation. The system consists of a weatherproof camera with an auto lens. Ideal for large wreckers, the rear vision system automatically activates when the vehicle is in reverse gear. This system is as effective for night towing.

Kit Includes:

- 1 - C200 Color Camera
- 1 - M560 Flat, LCD, Color Monitor
- 1 - T60, 60' Transmission Cable, 6 Pin for Audio

174016276

Wt. 12 lb.



BLACK & WHITE CAMERA & MONITOR

This rear vision camera is a high quality low cost viewing system that enables the driver to see most obstructions not normally seen when backing up. The system consists of a weatherproof camera with an auto lens and 5" monitor. Ideal for large wreckers, rear vision system automatically activates when the vehicle is in reverse gear.

Kit Includes:

- 1 - C101 Black & White Camera
- 1 - M500 Black & White Monitor
- 1 - T60-4, 60' Transmission Cable, 6 Pin no Audio

174016272

Wt. 12 lb.



Miller Industries has designed the latest in lift fork technology. Turn to pages 16-18 for a full listing of lift fork adapters & lift forks.



ENGINE INFO CENTER

The Engine Info Center was designed to allow the driver of the vehicle to monitor his engine functions when he is out in the field on one of those prolonged recovery operations. This item displays engine RPM, engine volts, engine oil pressure and engine temperature. Along with digital display you can set it to English or Metric. Comes complete with mounting instructions and wiring harness.

124002441

Wt. 5 lb.

KIDDE**FIRE EXTINGUISHERS**

Kidde® is the industry leader in disposable & rechargeable fire extinguishers. We offer 2-3/4 lb., 5 lb. and 10 lb. sizes that are rechargeable. A pressure gauge and a heavy duty mounting bracket is supplied (10 lb. extinguisher "does not" include heavy duty mounting bracket). Great protection for commercial and industrial applications. The seamless aluminum and steel cylinders have chip resistant epoxy finishes. Please specify size when ordering.

174002270	2-3/4 lb. Size	Wt. 6 lb.
174002274	5 lb. Size	Wt. 10 lb.
174002277	10 lb. Size	Wt. 23 lb.
174002278	10 lb. Kit Bracket	Wt. 3 lb.

TRAFFIC CONE

Highly visible fluorescent red/orange traffic cones meet MUTCD specifications. Made from soft flexible 100% PVC, cones will withstand all punishment. They have a weighted base to keep them upright during highway usage. Available in 18" and 28" sizes.

174002264	18"	Wt. 4 lb.
174002265	28"	Wt. 9 lb.

**TIRE SKATES**

Tire skates aid the operation of the carrier flat bed by decreasing resistance. The tower wedges the skates under the wheels of the vehicle to pull the car on or off of the carrier. Skates are most useful when pulling immobilized vehicles with deflated tires and heavy machinery for transport, even from hard to reach areas. Skates can be ramped onto themselves to compensate for height difference and to provide carrier bed protection when moving burn-outs and hulk vehicles. Made with strong compressed recycled plastic. Storage is easy with attached cable and skates are sold individually.



174004051	Wt. 10 lb.
-----------	------------

**FIRST AID KITS**

First Aid Kits prepare a tower for all situations. An economical and compact first aid kit will fit in many places. It is a complete kit containing most of the essential items you might need for an emergency. Can be mounted for easy accessibility when needed. The perfect item for any truck.

174002286	Small	Wt. 3 lb.
-----------	-------	-----------

**REFLECTOR KIT**

The kits are good for day or night time visibility. There are three 17" reflective triangles packed in a heavy duty plastic case. Triangles fold flat for easy storage. The bases are filled with sand to hold them upright in adverse conditions.

174002268	Wt. 17 lb.
-----------	------------





JERRY CAN

The original Blitz® jerry can is constructed of heavy gauge steel with a gloss red coat on the outside. The interior is rust-resistant to provide a long service life. Includes spill proof spout.

174016123 5 Gallon Can Wt. 10 lb.
 174016129 Can Rack Wt. 2 lb.

Miller offers this as a **Kit ONLY**, we will **NOT** be able to sell individually



GARBAGE PAIL

Handy item to store debris after accident clean-up.

174016167 4 Gallon Wt. 3 lb.
 174016169 6 Gallon Wt. 5 lb.

SPILL PROOF SPOUT

New to Miller these are special spouts designed to fit the new style spill & vent proof Jerry cans pictured above. These spouts have a special shut off valve eliminating spillage problems.

174016124 Wt. 2 lb.



ALUMINUM CARRIER ROTATION KIT

Another Carrier Kit to make clean-up even easier. Everything you would need at ease from airing a tire to sweeping glass from the street. Also features the chain and lock for locking into place. Comes complete with:

- Aluminum Storage Box
- Garbage Pail
- Cord & Lock
- Fuel Can
- Square Point Shovel
- Push Broom
- 5 Gallon Air Tank
- Diesel Can

174002006 Wt 60 lb.

CARRIER KIT

Made for car carriers to keep clean-up supplies ready but out of the way. Bracket is bolted to the chassis frame. Comes complete with:

Description	Part Number
Push Broom	174016132
Two Garbage Pails	174016169
Square Point Shovel	174016130
Storage Bracket	174016128
Jerry Can	174016123
Five Bunge Cords	174016126

Complete Kit Wt 60 lb. 174002005



QUARTER FENDERS

Here is a highly functional item that also dresses up a carrier. Made from polished stainless steel, quarter fenders will keep road grime, debris and other substances from being thrown onto the underside of your carrier. Mounting instructions and installation hardware are included. Sold in pairs. Will fit tires 19.5" to 24.5" in diameter.

174016161 24" Fender (Fits 19.5" - 24.5" tires) Wt. 40 lb.



ALUMINUM BOXES

Aluminum under body tool boxes are a very useful and stylish addition to your car carrier. The boxes are constructed using a 14 gauge annealed stainless steel door along with .125 gauge aluminum for the fully welded box container. They have heavy duty retainer chains with adjustable brackets to support the door. The door seals incorporate an automotive style bulb gasket to guarantee a water tight seal. A stainless steel paddle latch is used to secure the door.

ALUMINUM

174016035	36"	Wt. 88 lb.
174016036	48"	Wt. 109 lb.
174016037	60"	Wt. 139 lb.

**THESE ARE THE FINEST IN
ALUMINUM TOOL BOXES ON
THE MARKET TODAY!**

STEEL TOOL BOXES

We carry steel tool boxes manufactured from .13 gauge steel. The steel tool box is powder coated to resist chipping and rusting from the wear and tear of everyday service. Like our aluminum boxes, these tool boxes have an automotive style bulb seal for superior moisture resistance. They are available with either a steel or polished steel door. The polished door is made with T-304 stainless. The door is fastened by a piano hinge supported by two adjustable cable hangers. The door is secured by a lockable stainless steel T-handle latch.



STAINLESS STEEL DOOR

174016021	36"	Wt. 54 lb.
174016022	48"	Wt. 66 lb.
174016023	60"	Wt. 79 lb.



STEEL DOOR

174016030	36"	Wt. 90 lb.
174016031	48"	Wt. 111 lb.
174016032	60"	Wt. 141 lb.



FOLDING CARRIER LADDER

This Folding Carrier Ladder mounts to the side of the truck frame under the carrier. By releasing the cam locks, the ladder slides out and hinges down providing easy access to your carrier deck.

0909217

Wt. 125 lb.



SPACER BLOCKS

Nylon spacer blocks are the perfect item to use when extra clearance is needed towing with a conventional sling. Slide the spacer blocks on a 4x4 block and adjust them to lift from the bottom of the frame rails, then hoist the vehicle. Using these in conjunction with your sling will keep the front bumper of low hanging front valances from being crushed by the sling straps. Sold as pair.

174017089

Wt. 9 lb.



TOW BAR RINGS

Made to fit 3-1/2" or 4" diameter crossbars. Place on ends of the crossbar to protect against damage to the towed vehicle or to the wrecker deck during fold-up. Sold individually.

174017080

3-1/2"

Wt. 2 lb.

174017080-4

4"

Wt. 3 lb.



FORGED "D" RING

D rings are forged from tough 1/2" C-1045 steel. They are supplied with a mounting plate to bolt onto any flat surface. The mounting plate utilizes 3/16" material and the holes are cut 2" on centers.

174016025

Wt. 1 lb.



QUARTER & HALF FENDERS

Fenders will accommodate tires 16" to 22.5" in diameter adding class while protecting the carrier. Installation is made easy with included hardware and instructions. Sold in pairs.

174016170

Quarter Fenders 16" to 19.5"

Wt. 30 lb.

174016168

Half Fenders 16"

Wt. 52 lb.

174016165

Half Fenders 19" to 22.5"

Wt. 55 lb.

COLLINS POP-UP DOLLIES

Collins Dollies are the original self loading dolly built with quality in the USA. Collins offers several safety features not found on other brands. Ratchet locks are incorporated with safety locks above the release handle into the pop-up mechanism to keep the Dollies from accidentally releasing. Telescoping axles make towing vehicles with various widths possible. Dollies come complete with pry bar, two axles and two dolly sides (tires & wheels).

174003305	4.80 Dollies	Wt. 246 lb.
174003305AT	4.80 Dollies w/ Aluminum Axles	Wt. 191 lb.
174003306	5.70 Dollies	Wt. 262 lb.
174003306AT	5.70 Dollies w/ Aluminum Axles	Wt. 213 lb.



174022051 DOLLY TIE-DOWN NOT INCLUDED



COLLINS
International

LOADING BRACKETS

What used to be thought of as the dreaded job, the dread is part of the past. With these unique loader brackets, the operator releases a lock lever, and just a tug on the frame helps the bracket lower the dolly from over the side of the wrecker making it easier to reach the dolly frame. Not only will these brackets make it easier for drivers to use dollies, they will help eliminate the chance of injury. Sold as pairs.



174003329	Wt. 49 lb.
------------------	-------------------



LOADING BRACKETS



DOLLY BUNKS

Dolly Bunks were designed for 4.80 Dollies to be bolted to the bottom side of your wrecker where space is abundant keeping the deck of you wrecker available for other items. Their heavy duty construction will give years and years of service life. Mounting instructions and hardware included.

174003318	Steel	Wt. 101 lb.
174003318A	Aluminum	Wt. 58 lb.



PARALLEL BRACKETS

Parallel brackets are designed to move your dolly frame out over the edge of the vehicle so the operator does not have to reach over the side of the truck. They are built with the same quality and workmanship as the loading brackets. Brackets can be either welded or bolted into place and are sold in pairs.

174003331	Wt. 27 lb.
------------------	-------------------





DOLLY BRACKETS

A simple yet effective dolly bracket that neatly keeps your dollies stowed away when not in use. These brackets may be welded or bolted to the deck or tool box of your truck. Sold by the pair.

- 174003308 3" Wt. 10 lb.
- 174003319 11" Wt. 12 lb.

BEARING KIT

Kits are used to replace damaged or worn out bearings and seals in your dolly hubs. They come complete with 2 bearings, a grease seal, a cotter pin, and dust cover.



- 174003321 Wt. 3 lb.

DOLLY BAR ROLLERS

Axle rollers will help protect the wrecker bed or tool box while simplifying the removal of the dolly rails. Brackets will secure axles and the dolly pry bar. Sold in pairs, painted in primer.

- 174003333 Vertical Wt. 16 lb.
- 174003335 Horizontal Wt. 15 lb.



AXLE BRACKETS

Axle brackets are perfect for keeping your axles secure on your wrecker bed or in the tool box without having them loose to damage the vehicle. Sold as a set.

- 174003310 Standard Wt. 5 lb.
- 174003323 Lockable Wt. 6 lb.

TIRES & WHEELS

Tire and tire-wheel combos are perfect replacements, and may be purchased as a combination tire, tire & wheel or wheels by themselves.

- 174003312 4.80 Tire Only Wt. 5 lb.
- 174003313 5.70 Tire Only Wt. 6 lb.
- 174003314 8" Wheel Only Wt. 5 lb.
- 174003315 5.70 Tire & Wheel Wt 12 lb.
- 174003317 4.80 Tire & Wheel Wt. 10 lb.



Plastic

Chrome

DOLLY HUBCAPS

The right item to add a custom touch to a wrecker. All fit 8" dolly rims and are very durable. Hubcaps are sold individually.

- 174003338 Stainless Wt. 1 lb.
- 174003337 Chrome Wt. 1 lb.
- 174003339 Plastic Wt. 1 lb.




GOJAK™

A damage free system that will enable a car to be moved out of a parallel parking spot with the emergency brake on and the vehicle in gear. The jacks operate similar to an old style bumper jack. Place the jack around the tire to be lifted and pump the pedal with your foot, a ratchet squeezes the rollers together raising the vehicle. Both jacks will work with most tires up to 16" in rim size. The 5000 series has an individual capacity of 1,250 lb. and 6000 series has a 1,500 lb. limit. GOJACKS™ are priced individually, proper use requires at least two units. GOJACKS™ are very handy for carriers or whenever a car can be repositioned by hand. Jacks are not intended for driving or use on rough surfaces.



- 174004001 GOJAK™ 5000 Wt. 30 lb.
- 174004011 GOJAK™ 6000 Wt. 34 lb.



DOOR CLOSURE

These closures were designed to keep toolbox doors from hitting the side of the body. They are constructed from steel and are zinc plated for rust-resistance, with two lengths available.

0302379	7" Closure	Wt. 2 lb.
0301912	11" Closure	Wt. 3 lb.



FOLDING STEP



Here is a handy item that is easily mounted to the outside of any truck body to aid in stepping up or climbing up onto an area not normally accessible. Chrome plated finish with stainless steel spring for non-corrosion, and durability. Hardware furnished with large step.

174016189	Stainless Step	Wt. 3 lb.
174016191	Large Stainless Step	Wt. 4 lb.

DRI-DEK

Dri-Dek enables you to protect your equipment, surfaces, and provides sure footing. Air is allowed to circulate underneath for rapid drying. The material is cut to trim providing a perfect match to almost any corner. Dri-Dek comes in the following colors: Black, Blue, Red and Yellow. Sold by square foot and comes 50 pieces to a case.

174016150	Black	Wt. 1 lb. / sq ft.
174016151	Blue	Wt. 1 lb. / sq ft.
174016152	Yellow	Wt. 1 lb. / sq ft.
174016153	Red	Wt. 1 lb. / sq ft.

STAINLESS STEEL SIMULATORS



Wheel covers are DOT approved and will install without removing a single lug nut. Hardware is provided, please call about any unlisted applications.



174016524	16.5 Ford 350 (2002 - Current)	Wt. 19 lb.
174016526	19.5 Ford 450 / 550 (2002 - Current)	Wt. 23 lb.
174015585	16.5 Chevy 3500 (2001 - Current)	Wt. 19 lb.
174016574	19.5 x 6 GM 4500	Wt. 29 lb.
174016576	19.5 GM 5500 & 6500 (2002 - Current)	Wt. 29 lb.
174016575	19.5 DOT Freightliner (2002 - Current)	Wt. 29 lb.
174016594	19.5 DOT International (2002 - Current)	Wt. 29 lb.
	8 Lug with Hydraulic Brakes	
174016528	19.5 International (2002- Current)	Wt. 29 lb.
	10 Lug with Air Brakes	
174016113P	22.5 x 8.25 DOT 2HH Stud Piloted	Wt. 29 lb.
174016605	22.5 x 8.25 DOT 2HH Hub Piloted	Wt. 29 lb.
174015097	22.5 x 8.25 DOT 5HH Hub Piloted Front Axle Set	Wt. 29 lb.
174015098	22.5 x 8.25 DOT 5HH Hub Piloted Rear Axle Set	Wt. 29 lb.
174016115P	22.5 x 8.25 5HH Stud Piloted	Wt. 29 lb.
174016117	17.5 DOT Nissan (UD)	Wt. 29 lb.

Hand Rail

The perfect item for added safety and a great look. This handrail tubing is 7/8" around and is sold per foot for a custom fit. The end and center configurations come in chrome. A useful grab handle can be quickly added wherever needed. Please specify length of handrail at time of ordering. Be sure and ask about the different sizes available.



174016179	7/8" Tubing	Wt. 1 lb./ft.
174016183	End Stanchions	Wt. 1 lb.
174016187	Center Stanchions	Wt. 1 lb.

SHACKLES

These shackles were designed to be used with nylon web slings. They are inserted into the loop end of the sling, putting the stress on the shackle. Shackles come with an easy to remove alloy steel pin to simplify operation. Made from heat treated galvanized carbon steel.



174026041	3"	(For 6" Sling)	Wt. 3 lb.
174026037	6"	(For 8" - 12" Sling)	Wt. 8 lb.



STAINLESS STEEL STRIPS

Stainless steel strips are designed to be used on the tool box door frame. They are constructed with T-304 polished stainless steel and come supplied with adhesive tape on the back of each piece. They serve as an attractive addition to a nice paint job and will help protect the paint when taking equipment in and out of tool boxes.

174016193	25-1/8" x 3/4" x 1"	Wt. 5 lb.
174016194	22" x 3/4" x 1"	Wt. 5 lb.
174016196	33-1/8" x 3/4" x 1"	Wt. 5 lb.
174016195	38-5/8" x 3/4" x 1"	Wt. 5 lb.

FIBERGLASS FLARES

Flares add a custom look to your wrecker and provide coverage over your rear tires. The flares keep mud and debris from being thrown onto a nice paint job or on the towed vehicle. The addition of fender flairs will help the truck comply with certain states tire exposure regulations. Sold in pairs.



HB139	Challenger 4700 / Holmes 2-1/2"	Wt. 5 lb.
124002073	Challenger 4800 2"	Wt. 5 lb.
174016062P	Vulcan 2"	Wt. 5 lb.
124001804	Challenger 4800 2-1/2"	Wt. 5 lb.
174016066	Holmes / Challenger 4"	Wt. 7 lb.
124001618	Century 2-1/2"	Wt. 5 lb.
124001284	Century 4"	Wt. 7 lb.

RUBBER FLARE MATERIAL

Rubber fender flares offer protection for the wrecker and towed vehicle. The first two flairs come in two different styles, under body and side body flares that are mainly used on small wreckers. The 0300345 was used as a standard OEM equipment on all Century heavies up until 2002. The 0307151 is current material being used on all Century heavy units. This material is sold by the foot.



174016079	Side Body Mount	Wt. 1 lb./ft.
174016080	Under body Mount	Wt. 1 lb./ft.
0300345	Century Fender Well Material (Up to 2002)	Wt. 1 lb./ft.
0307151	Century Fender Well Material (2002 - Current)	Wt. 1 lb./ft.

12 VOLT MOTOR

Motors are exact replacements to motors found on most 12V DC electric power pack units. The motor mounts easily with two bolts. Works in conjunction with the 12V solenoid. A new motor will return the power pack up to speed.



174015001

Wt. 14 lb.

THROTTLE CABLES

Vinyl covered throttle cables are exact replacements for existing cables. The cables have replaceable locking adjustable head assemblies. We offer the most common sizes. Installation hardware not included.

- | | | |
|-----------|-----------|-----------|
| 174016001 | 15' Cable | Wt. 5 lb. |
| 174016002 | 20' Cable | Wt. 5 lb. |
| 174016004 | 25' Cable | Wt. 5 lb. |
| 174016005 | 30' Cable | Wt. 5 lb. |
| 174016016 | 35' Cable | Wt. 5 lb. |



12 VOLT SOLENOID

This solenoid is commonly found on 12V power pack units, usually mounted on top of the drive motor to relieve the amperage draw through the actuation switches. The solenoids are rated at 12V continuous duty and have a steel housing.




174015005

Wt. 1 lb.

PTO CABLE

Cables will not last forever and a replacement should end the battle to engage the PTO. It utilizes long lay wire strands surrounding the main cable making it almost impossible to kink. The cables may be cut to fit, and are coated with a weather resistant nylon type PVC material.



- | | | |
|-----------|-----------|-----------|
| 174016008 | 6' Cable | Wt. 3 lb. |
| 174016009 | 10' Cable | Wt. 3 lb. |
| 174016010 | 12' Cable | Wt. 3 lb. |

T-HANDLE LATCH

The "T" handle style latch offers a twist on conventional slam or paddle latches. These latches are adjustable to compensate for wear and can be positioned to keep a constant seal. Locks are generically keyed. Made with rust free stainless steel.



174016007

Wt. 1 lb.

PADDLE LATCH

We offer paddle latches constructed of rust-free stainless steel. They should be mounted in a 3-3/8" x 4-5/8" recess and come with the mounting holes pre-drilled in the latch to make the mounting time minimal. Locks are generically keyed.



0302855

Wt. 1 lb.



PUSH BUMPERS

Bumpers are designed to conform to the curvature of the front end of your truck to give it a custom flush look. They are constructed of heavy gauge steel in primer, so it may be painted. A rubber face plate is mounted to the front of the bumper. All mounting hardware is included.

174017015
174017050

Chevrolet 2500 / 3500 Series (2001 - Current)
Ford F-350 / F-550 (1998 - Current)

Wt. 258 lb.
Wt. 305 lb.

INTERNATIONAL BUMPER

We stock custom push bumpers for International 4300/4400. They fit the contour of these highly rounded front ends nicely, and have a wrap around bumper pad which is bolted and glued to the face of the bumper. Mounting kit included.

174017040 **International 4600 (1988 - 1999)** **Wt. 287 lb.**
174017060 **International 4300/4400 (2001)** **Wt. 296 lb.**



CHEVROLET BUMPERS

We now offer a full line of Push Bumpers for the new style cab on the 2002 Chevrolet 4500/5500 cab and chassis. They contour to fit this new cab perfectly. As with all of our bumpers they include all mounting hardware.

174017037 **4500/5500 (2002 - Current)** **Wt. 259 lb.**
174017047 **Kodiak / Topkick (1991 - 2001)** **Wt. 268 lb.**

START KIT

Associated Equipment® builds one of the most reliable jump start systems available on the market today. The stainless steel cabinet may be mounted anywhere on your vehicle, connect the 4' leads to the vehicles battery. To jump start a vehicle, simply plug the cables into the cabinet. The cables are 25' long for extra reach and are built out of 4 gauge welding wire for more starting power. 500 amp clamps with side terminal adapters will be able to connect in any situation. Polarity indicators are built into the clamp.



174020001

Wt. 20 lb.



STARTING CABLES

Replacement cables for the 174020001 Starting Kit. They come complete with 500 amp clamps, polarized plug, and 25' of 4 gauge welding lead cable. The 500 amp clamps have molded springs in the ends of the handles to aid in relieving stress off of the cable leads.



174020005

Wt. 14 lb.



POLARIZED SOCKET

Polarized stainless steel cabinets is the same component found in the 174020001 Starting Kit. Kits are supplied with 4' lead and all necessary mounting hardware & installation instructions.



174020009

Wt. 6 lb.

START KIT

The Jump Start Kit contains a set of 4' battery leads, a polarized socket and a set of 30' jump start cables. This new style socket comes with a mounting bracket. The jump cables are outfitted with 500 amp clamps.



174020026

Wt. 19 lb.

FLUSH SOCKET

Sockets are popular because of the flush mount design. Cut a hole in your bumper or any other convenient mounting place and attach with the supplied hardware to achieve a custom look. The flush mount will be out of the way from potential abuse. Supplied with 4' battery leads.



174020015

Complete Kit

Wt. 4 lb.

HEAVY DUTY START KIT

A heavy duty jump start kit for re-starting large trucks. The kits include jump cables made from heavy duty 1 gauge wire, 800 amp insulated clamps and a three pole plug for increased transfer power. A stainless steel jump box which has three poles and battery hook-up leads are provided in the heavy kit.

REPLACEMENT CLAMPS

Associated's vinyl coated replacement clamps are spring loaded and reinforced in the handle to ensure cable longevity. The clamps jaws are pure copper for better conductivity.



174020003

Wt. 28 lb.

174020023

500 AMP

Wt. 3 lb.

174020024

800 AMP

Wt. 3 lb.

LEXANPLUG

Replacement polarized plugs found on Associated kit number 174020001 Starting Kit. Can be used on other sets as well.



174020012 Wt. 1 lb.

SIDE POST ADAPTERS

Side post adapters are replacements found on AMP clamps. They use the spring tension of the jaws to clamp down on side terminal battery posts.



174020019 Wt. 1 lb.



START KITS

These kits offer the most value in systems available. They come with 4 gauge twin V-tron welding lead with 500 amp battery clamps. The other end features an impact resistant lexan connector. The harness is 6' with a lexan connector and ring terminals that connect to the vehicles battery. The kit has a dust cover to keep the contacts clean. Mounting hardware & installation instructions included.

- | | | |
|-----------|---------|------------|
| 174020030 | 16' Kit | Wt. 18 lb. |
| 174020032 | 25' Kit | Wt. 23 lb. |
| 174020034 | 30' Kit | Wt. 27 lb. |



JUMPER CABLES

Jumper cable sets use the same quality cable as our other start kits. The cable sets have 500 amp clamps at both ends for battery to battery starts. The clamps are color coded for instant positive and negative recognition.

174020036 Wt. 14 lb.

CONNECTOR ASSEMBLY

This is a replacement connector assembly that fits our Phoenix jump start assemblies. They are constructed out of high impact lexan with copper contacts rated at 175 amps.

174020038 Wt. 1 lb.



CABLE ASSEMBLY

The fleet systems are similar to our 174020030 kit except they do not use clamps for re-starting. The cable kit comes with battery hook up harnesses with polarized lexan plugs, that hook to both your fleet vehicle & your service vehicle. When a restart is needed, hook the harnesses from vehicle to vehicle. They have made this the kit of choice for fleet sized companies or for those looking for an inexpensive way to familiarize your trucks. Mounting kit & installation hardware included.

174020028 Wt. 27 lb.



ELECTRIC SEAL

Grease was designed to seal out moisture and prevent contact corrosion. It can be used on all contact surfaces that have to withstand the harshness of the weather.

174027078 8 oz. Wt. 1 lb.



LIGHT BRACKETS

These round and oval brackets are designed to make it easier for you to add lighting to your vehicle. They are pre-punched with mounting holes but may be welded.

174027064	4" Round	Wt. 1 lb.
174027061	6" Oval	Wt. 1 lb.



OVAL BEZEL

These highly polished stainless steel bezels dress-up the look of your truck. They mount to the rubber grommet of your oval lights. Mounting screws not supplied.

0304124 Wt. .25 lb.



ROUND BEZEL

These bezels are just like our oval bezels. They are highly polished and round. Mounting screws not supplied.

174027084	4"	Wt. .25 lb.
174027029	2-1/2"	Wt. .25 lb.



LICENSE PLATE BRACKET

Brackets are designed to hold your license plate firmly in place. Universal design made to accommodate just about any plate or light.

0300076 Wt. 1 lb.



LICENSE LAMP

Lamps are designed to fit our license mounting brackets. They are constructed of cadmium plated steel and mounted on 2" centers with input lead.

174027070 Wt. 1 lb.



AUXILIARY POWER PROTECTOR

The auxiliary power protector is the heart of any well designed electrical system. Serving several purposes it contains relays that will not let your head light, brake light, and back-up light switches over load and burn out. It serves as sealed protection for all of your connections, keeping corrosion out. Protectors will work on foreign and domestic wiring systems.

0303248 Wt. 4 lb.



WATERPROOF BREAKER

Circuit breakers double as a master disconnect. In the event of a "short circuit" the circuit breaker will trip in the off position. This is extremely helpful when servicing the electrical system. The high amp waterproof circuit breaker should be located as close to the battery as possible protecting the main feed wire going to all of the add-on accessories. With the addition of the high amp master circuit breaker, your electrical system is safe from start to finish.

174013085	50 Amp	Wt. 1 lb.
174013111	80 Amp	Wt. 1 lb.
174013089	150 Amp	Wt. 1 lb.

HIDE AWAY STROBE SYSTEM

Finally a system has been designed to add strobes to a vehicle economically. Systems come as a four or six head system. The four head strobe kit is complete with two hideaway strobe bulbs for the front turn signals and two 6" oval pop-in strobes for the rear of your wrecker or carrier. The six head system has six hide-a-way strobes, a 6-way power supply and six 15 ft. wiring harnesses. Both systems are designed for long and dependable service life.

174001204	4 Head System	Wt. 16 lb.
174001216	6 Head System	Wt. 19 lb.
174001233	8 Head System	Wt. 24 lb.



Six Head



Four Head



174001880

174001881

Components can be purchased individually to add onto your existing strobe system or start from scratch.

174001883	Power Supply 4 Head	Wt. 2 lb.
174001344A	Power Supply 6 Head	Wt. 3 lb.
174001881	Hide-a-Way Bulb (Clear)	Wt. 1 lb.
174001880	6" Amber Oval Strobe	Wt. 1 lb.
174001884	15' Extension Cord	Wt. 1 lb.
174001885	30' Extension Cord	Wt. 2 lb.



174001884-15'
174001885-30'



MILLER SWITCH PANEL

This 4 switch panel was designed for the customer wanting a basic and economical switch panel. It has fuse protected rocker type switches, indicators light when a switch is on. It also has a PTO light and switch with a PTO cable hole in the front of the panel. The kit includes installation hardware and mounting instructions. Available in a 4 switch version only.

124001526	Wt. 4 lb.
------------------	------------------



BASIC MILLER SWITCH PANEL

The basic switch panel was designed for the person wanting an economical and efficient switch panel. It has rocker type, fuse protected switches. The switches light to indicate activation. The panel also has a PTO activation switch.

174013101	Wt. 3 lb.
------------------	------------------



FORD & FREIGHTLINER SWITCH PANEL

Panels are designed to fit the F-Series Ford and Freightliner M2 dash. The panel fits in the dash to the right side of the steering column. They come in the most popular arrangements.

174013077	4 Switch Panel	Wt. 2 lb.
174013078	5 Switch Panel	Wt. 2 lb.
174013079	6 Switch Panel	Wt. 2 lb.
174013084	4 Switch Panel w/cut out	Wt. 2 lb.
174013079M	5 Switch Panel w/cut out	Wt. 2 lb.

UNIVERSAL

We also stock universal switch panels that come with four or five switches. As with all of our Power Up switch panels, this one comes with circuit breaker panels and back lit legends for easy night time operation. These panels come with a mounting bracket and all of the necessary hardware. They are designed to be bolted anywhere space is available.



174013112	4 Switch Panel	Wt. 4 lb.
174013066	5 Switch Panel	Wt. 4 lb.
174013060	6 Switch Panel	Wt. 4 lb.



MADE EXCLUSIVELY FOR:



MOMENTARY SWITCH

Environmentally sealed switch uses .25" male spades for quick attachment. The rubber boot will prolong the life of the switch by keeping the elements out. Boot screws directly onto switch.

0302470	Switch	Wt. 25 lb.
0301454	Boot	Wt. 25 lb.



INTERNATIONAL SWITCH PANEL

Each panel has lighted legends for easy reading at night. The panel has its own built in circuit breakers. We offer the in-dash panels in four positions. All of our switch panels are supplied with mounting hardware.

174013120	4 Switch (2000 - Current)	Wt. 3 lb.
-----------	---------------------------	-----------



CHEVROLET / GMC 4500 / 5500 / 6500 SWITCH PANEL

HD switch panels have internal circuit breakers and lighted legends. They are available in 4 and 5 switch versions, and are designed to fit into the cubby hole to the right of the steering column.

- | | | |
|-----------|--------------------------|-----------|
| 174013123 | 4 Switch Panel | Wt. 4 lb. |
| 174013124 | 4 Switch Panel w/cut out | Wt. 4 lb. |
| 174013125 | 5 Switch Panel | Wt. 4 lb. |

REPLACEMENT SWITCHES

These switches are exact replacements for all of our Power Up switch panels. The two circuit breaker switches come in 20 & 50 amp then there is the 20 amp momentary switch which is used in the 9 switch panel.

- | | | |
|-----------|---------------|-----------|
| 174013044 | 20 Amp Switch | Wt. 1 lb. |
| 174013063 | 50 Amp Switch | Wt. 1 lb. |
| 174013071 | Momentary | Wt. 1 lb. |

CHEVROLET / GMC 3500 / 3600 SWITCH PANEL

These custom switch panels were designed to fit outside of the contoured dash panel. Each switch in this panel has a built in circuit breaker.

- | | | |
|-----------|----------------|-----------|
| 174013102 | 4 Switch Panel | Wt. 4 lb. |
| 174013103 | 5 Switch Panel | Wt. 4 lb. |



SWITCH PANELS

9 SWITCH PANEL

This panel was designed exclusively for Miller Industries. It has 9 automatic reset circuit breaker switches, back lit legends for each switch, and three momentary rocker switches for controlling the wheel lift functions from inside the cab of trucks equipped with solenoid valves. It has a unique angled design for visibility while standing beside the truck. It is also available with an air shift PTO cut out and a sturdy aluminum housing.

- | | |
|-----------|------------|
| 174013109 | Wt. 14 lb. |
|-----------|------------|



WIDE LOAD BAR

Wide load bars made exclusively for Miller Distributors are constructed of light weight nylon which is virtually indestructible. They include separate stop-tail-turn lights, and three ICC marker housing lights. There are hanging hooks on top and bottom to make mounting easier. Sealed beam lighting is used throughout the bar for long service life. The 7-way socket is on the end.

- | | | |
|-----------|------------|------------|
| 174019036 | 36" Yellow | Wt. 9 lb. |
| 174019043 | 48" Black | Wt. 10 lb. |
| 174019044 | 48" Yellow | Wt. 10 lb. |



174019036 - 36" Yellow



174019044 - 48" Yellow



7-WAY CABLE CONNECTOR

Use this extension to connect your 7-way light bars. A socket and plug is supplied at each end. Two lengths available.

- | | | |
|-----------|-----|------------|
| 174019032 | 30' | Wt. 6 lb. |
| 174019033 | 60' | Wt. 10 lb. |



7-WAY CABLE COUPLER

This handy item will join two 7-Way extensions for maximum reach.


- | | |
|-----------|-----------|
| 174019008 | Wt. 2 lb. |
|-----------|-----------|



ECONOMY WIDE LOAD BARS

These wide load bars offer safe lighting at a reasonable price. The bars are available in durable white PVC and galvanized steel models. Both are furnished with 4 rubber tie-down straps. The bars are 60" long x 6" high x 2" deep with sealed beam lighting. DOT marker lamps and stop-turn-tail lamps will meet legal towing requirements and simplify repairs if need be. Wide load bars are powered by a 7-way cable (not included) that inserts into a socket in the front of the bar.

- | | | |
|-----------|------------------|------------|
| 174019101 | Vinyl/PVC | Wt. 14 lb. |
| 174019103 | Galvanized Steel | Wt. 11 lb. |



SOCKETS & PLUGS

Sockets & plugs have contacts that float for proper connection with mating receptacles. The terminals will accept up to 12 gauge wire. A cable clamp will hold just about all cable sizes firmly. All plugs are supplied with a spring to relieve cable tension.

- | | | |
|-----------|------------------|----------|
| 124001934 | 4-Way Socket (A) | Wt 1 lb. |
| 174019020 | 4-Way Plug (B) | Wt 1 lb. |
| 174019023 | 7-Way Socket (C) | Wt 1 lb. |
| 174019026 | 7-Way Plug (D) | Wt 1 lb. |



SUCTION LIGHTS

Suction lights are the latest innovation in tow lights. Supplied with the same rubber heads as our CR51's except a suction cup is used for securing them to the towed vehicle. The cup is made out of rubber which has a plunger on the side that creates the necessary vacuum. The cups will not scratch paint eliminating customer damage claims. The lights come with a standard 30' cord, 4-way plug and 7' lead between the lights.

174019001

Wt. 10 lb.

TOW LIGHTS

Tow lights are a must for every wrecker and carrier because almost every state requires that a set of lights be used when towing a vehicle. These tow lights come with a 30' cord, 4-way plug and two connected stop-turn-tail lights. The lights are rubber housed sealed beams. The powerful magnets will hold your tow lights in place in the worst conditions.

CR51
CR52
CR55

Square Magnets
Round Magnets
LED Square Magnets

Wt. 11 lb.
Wt. 12 lb.
Wt. 12 lb.



TOW LIGHT CASE

A rugged and durable way to store the wired tow lights when not in use. The box may be locked. Perfect for the magnetic and suction cup tow lights.

174019005

Wt. 2 lb.



4 WAY EXTENSION CORD

Designed to extend the length of your tow lights. Comes complete with 4-way socket, 4-way plug and 30' of flexible 4-way cable.

174019030

Wt. 5 lb.



SUCTION CUP ADAPTER

The suction cup replacements can be used on most rubber head tow lights. These adapters also allow the magnetic tow lights to be converted to suction base. Sold individually.

174019003

Wt. 2 lb.



PLASTIC MAGNETS

These are also exact replacement magnets for our CR51 tow lights. Magnets are sold individually.

174019013

Wt. 3 lb.

TOWMANS EDGE

Whelen™ Engineering has designed this light bar specifically for the towing industry. It is 60" long and has four strobe heads for 360 degree visibility. Both lights have rear LED tail lights; the work light bar has two work lights while the flasher light bar has two flashers instead of the work lights. Whelen™ light bars use an aluminum base to offer a sturdy rust resistant bar. All of Whelen's parts and pieces are interchangeable within their product line. All light bars are supplied with the slide mount brackets with 1/2" mounting studs. Mounting hardware & installation instructions included.

- | | | |
|-------------------|--------------------------|-------------------|
| 174001200 | Work Light Bar | Wt. 42 lb. |
| 174001200F | Flasher Light Bar | Wt. 42 lb. |

WORK LIGHT BAR




FLASHER LIGHT BAR



SIX STROBE TOWMANS EDGE

The six strobe retains the same components as the work light version of the Towman's edge but has two additional strobes, giving it four corner lights, two rear LED tail lights, two work lights, and two front strobe lights.

- | | |
|------------------|-------------------|
| 174003003 | Wt. 43 lb. |
|------------------|-------------------|



EIGHT STROBE BAR

The Whelen™ strobe light bar is similar in appearance to the Towmans Edge, the difference is inside. The bar comes with eight strobes; four corner strobe lights, two rear LED tail lights, two work lights, and an additional two strobe lights in the front and two additional strobe lights to the rear. The bar is designed to be controlled separately from the corners to the centers. All bars come complete with solid 1/2" stud mounts and installation instructions. Measures 60" long x 10" wide x 4" high.

- | | |
|------------------|-------------------|
| 174001201 | Wt. 33 lb. |
|------------------|-------------------|



MASTER EDGE

This is the ultimate in full coverage safety lighting. This bar measures a big 72" in length, almost covering the full width of your large wrecker pylon. The bar comes with ten strobe heads which provide 360 degrees of unobstructed warning coverage. The ten lights consist of four corner strobe lights, two double work lights, four strobes facing the rear, and two additional strobes facing forward. The heavy duty power supply is built-in and comes with comet flash. The mounts are of solid cast construction that have a 1/2" stud protruding from them for a secure mount. As with all of Whelen's™ Edge series bars, they are built out of tuff aluminum for years of corrosion free service.

- | | |
|------------------|-------------------|
| 174001202 | Wt. 52 lb. |
|------------------|-------------------|

WRECKER SPECIAL

Federal Signal's most popular light bar and probably one of the most common light bar in the towing industry. The bar comes equipped with two 55 watt-90 fpm rotator assemblies, two rear facing flashers, and two stop-turn-tail lamps. The bar measures 53" long x 12" wide x 7-9/16" high. Mounting hardware & installation instructions included.



124001158

Wt. 45 lb.

JETSTREAM

Federal Signal's sleek looking low profile Jetstream light bar will improve the appearance of any wrecker or carrier. This bar measures 60" in length. It comes equipped with three 50 watt halogen rotators, 2 stop-turn-tail lights, and 2 rear flashers. Mounting hardware & installation instructions included.



174001180

Wt. 34 lb.



FEDERAL SIGNAL CORPORATION
Emergency Products

JETSTROBE

Federal Signal took the stylish Jetstream light bar and added strobes to it. The Jetstrobe comes with six or ten strobe heads: **Six Head** has one on each end facing outward, two facing the rear, and two facing the front. The **Ten Head** has two additional strobes on each side: left, right, fore, and aft. Both have rear facing work lights and stop-turn-tail lamps. This bars measure 60" long x 11-1/4" wide x 5-1/8" high, Mounting hardware & installation instructions included. Available only in amber.



174001347

Six Head

Wt. 37 lb.

174001344

Ten Head

Wt. 40 lb.

FEDERAL SIGNAL ESCAPE BAR

This light bar features a low profile design that has all of the components you need on those dark nights. Four corner strobes, rear work lights, S.T.T. Lamps, mounting hardware and installation instructions included.

174001859


4 Strobe w/Work Lights

Wt. 39 lb.



MX7599AL

This light bar is for big truck owners who want maximum visibility. This 69" bar comes packed with 4 rotators: 2 100-fpm and 2 95-fpm and four V-mirrors. It also has four strobe tubes: two facing the front and two facing the rear, for visibility day or night. There are two front and two rear facing flashers along with two rear facing work lights. This bar measures 69" long x 12-1/2" wide x 6" high. Mounting hardware & installation instructions included.



174001301

Wt. 46 lb.



MX 7499 AL

Public Safety has designed the perfect light bar for most applications. The light bar is divided into upper and lower sections enabling you to get more out of a light bar by having more space. This bar comes equipped with 4 rotators, 2 stop-turn-tail lamps, 2 rear facing work lights, and 2 rear facing flashers. It measures 55" long x 14" wide x 6" high, and is supplied with mounting instructions.

174001392

Wt. 42 lb.



DELUXE CONTROL HEAD

Code 3™ has designed a sleek compact control For the **174001235** Arrow Stik®. It has LED lights that show direction in addition to a variable speed control. Mounting hardware & installation instructions included.

174001238

Wt. 2 lb.



ARROW STIK®

The original Arrow Stik® measuring 47" with a low profile design with 8 lamps built with a strong aluminum housing. Light patterns will move from left to right, right to left, center out and alternating flash. Measures 47" long x 4-3/8" thick x 2-3/4" high. Mounting hardware & installation instructions included. This bar includes the basic control head.

174001235

Wt. 19 lb.



MINI EDGE

The Whelan® Mini Edge packs the most visibility for a bar of its size. It contains four corner strobes, two front, and two rear facing strobes powered by twin internal power supplies enabling the vehicle to be seen in every direction. The bar measures 10" x 28" x 4" and mounts permanently with adjustable 1/2" studs. Installation instructions are included.

174001203

Wt. 21 lb.



LP BEACON

The beacon is the miniature version of the LP bar. It uses the same components as the larger LP bar making repair parts easier to come by. They are equipped with two 50 watt rotators and a V-mirror. Mounting hardware & installation instructions included. Measures 15-1/2" long x 7-1/4" wide x 6-3/4" tall.

174001240

Wt. 6 lb.



MICRO EDGE

The remote strobe assemblies fit perfectly on pylon wings to add visibility and complement any light bar. They mount with a 1/2" stud and powered by its own supply unit. The system includes two light units each with two strobes controlled by a supplied switch that offers an assortment of flash patterns and cabling is included.

174001223

Wt. 17 lb.



MOLDED PYLON WINGS



The pylon wings are designed and molded to easily mount to the side of your light pylon on your heavy duty units. These stylish wings allow for additional lighting such as beacons, strobes, or micro strobe bars. The wings are sold in pairs, and are available in two kits, one for the molded aerodynamic pylon and one for the standard 3 piece pylon. (Lights not included)

124002478
124002566

Fits Aerodynamic Pylon
Fits 3 Piece Pylon

Wt. 9 lb.
Wt. 9 lb.



FOLD DOWN LIGHT BRACKET

When your light bar height is preventing you from entering parking ramps or garages, the fold down light bracket will provide the solution. This bracket bolts to your light pylon and light bar and allows the operator to pull a spring loaded rod to release the hinged bracket and tip the light bar backwards for additional clearance.

124001910

Wt. 15 lb.



SMALL WORK LIGHT

We are pleased to offer you the brightest mini work light you will have ever purchased. These lights project a wide bright 55 watt pattern and can be mounted just about anywhere. Hardware included. Sold in Pairs.

174007998

Wt. 1 lb.

RECTANGULAR LIGHT

The rectangular work lights utilize a 4" x 6" bulb for a wider than normal light pattern. They are in a rubber housing to prolong bulb life and protect the lens. Supplied with bulb and mounting hardware.

174008003

Wt. 3 lb.



UNITY SPOT LIGHTS

The finest swivel based work light available. They use a solid brass swivel base so corrosion and weather won't hinder the operation of this light. A knob is built into the back of the housing to make moving the light a snap. There is also an on/off switch on the housing for remote operation. A high polished chrome housing make Unity lights look very nice on any vehicle. Sold individually.



124001001

Wt. 5 lb.



ALUMINUM DECK LIGHT

The ultimate in body deck lighting, lights are made from a rugged sturdy aluminum housing that has a glossy black finish. This light has a full 360 degree directional capability via double brass pivoting joints. A solid two bolt mounting design attaches the base. The back side of the bulb head has an aluminum handle to make it easier to swivel the light beam. Supplied with a halogen bulb, the deck lights will give the brightest and widest light patterns. Sold individually.

174008005

Wt. 7 lb.



AQUA POWER LIGHTS



Light up work area at night for work and safety. Marine grade lights mount easily through just about any body panel with a flat surface. The 140,000 candle power sealed beam bulbs spreads evenly for full illumination. The lights are built to withstand the elements. May be mounted low on the side of the body to help get light in hard-to-see situations. Available in a durable white molded housing that can be painted. Mounting hardware included. Sold in pairs.

174008001

Wt. 5 lb.



4" WORK LIGHT

The most common rubberized work light, it comes OEM on most of our vehicles. The 4" rubber housing increases bulb life and helps protect it. They come complete with 4411 bulb and mounting hardware.

0303109

Wt. 1 lb.

**ALTERNATING
FLASHER**

Magnetically operated 12V flasher. The switch will flash 75 times a minute with a 15 AMP direct current. Meets state requirements for all service vehicles. Flasher may be used simultaneously.



174010001

Wt. .25 lb.

**ELECTRONIC
FLASHER**

Trucklite's® flasher has solid state electronics sealed by epoxy. The flasher meets DOT requirements. No ground wire is needed for 17 amps continuous duty.



174010009

Wt. 1 lb.



1970

1911



PAR 46



H9420



H-1

H-3

1195

795 S

W/L

STT



PAR 36 Flood



Whelen® Pencil Tube 6-3/4"

Whelen®



Whelen® Pencil Tube 6"



195

64

1156

1157

LIGHT BAR REPLACEMENT BULBS

We stock replacement light bar bulbs for just about every bar ever used, from the older incandescent bulbs to the new high tech strobe bulbs.

174009027	795S-MX Series Bulb	Wt. .25 lb.
174009031	1195 Fed Signal® (Old Style)	Wt. .25 lb.
174009034	H-1 Fed Signal & MX Series Bulb	Wt. .25 lb.
174009035	H-3 Fed Signal	Wt. .25 lb.
174009037	Whelen® Pencil Tube (6-3/4" long)	Wt. .25 lb.
174009038	Whelen® Pencil Tube (6" long)	Wt. .25 lb.
174001262	Whelen® Twist Lock Work Light	Wt. .25 lb.
174001263	Whelen® Twist Lock S.T.T. Light	Wt. .25 lb.
174001911	Whelen® Strobe	Wt. .25 lb.
174001970	Whelen® Linear Module	Wt. 1 lb.

REPLACEMENT BULBS

We try to offer you, the customer, the most common and most popular replacement bulbs used in our industry today. Make sure you order the correct bulbs.

0300512	#64 Marker Bulb	Wt. .25 lb.
174009005	#194 Marker Bulb	Wt. .25 lb.
0300503	#1156 Marker Bulb	Wt. .25 lb.
0300498	#1157 Marker Bulb	Wt. .25 lb.
0304152	Par 36-4411 4" Flood Beam	Wt. 1 lb.
0300700	Par 36-4416 4" Spot Beam	Wt. 1 lb.
174009024	Par 46- 4419 6" Flood Beam	Wt. 1 lb.
174009023	#H9420 4" x 6" Halogen	Wt. 1 lb.



LARGE WRECKER TAIL LAMPS

Replacement lens housings were specifically designed to fit the tail board of large wreckers. Each lamp housing utilizes the twist-in style dual or single filament bulbs. They are available in either clear, amber or red. Lamps constructed using rugged PVC material. Fits 1998 - 2001 Century and Challenger Heavy Duty Wrecker Bodies.

- | | | |
|---------|---------------------|-----------|
| 0302542 | Red (1988 - 2001) | Wt. 1 lb. |
| 0302543 | Clear (1988 - 2001) | Wt. 1 lb. |
| 0304537 | Amber (1988 - 2001) | Wt. 1 lb. |



LARGE WRECKER TAIL LAMPS

Fits from April 2002 - Current Century and Challenger Heavy Duty Wrecker Body styles.

- | | | |
|---------|---------------------|-----------|
| 0306778 | RH Top or LH Bottom | Wt. 1 lb. |
| 0306779 | LH Top or RH Bottom | Wt. 1 lb. |



Peterbilt Style Lights

- | | |
|-----------|-----------|
| 174027042 | Wt. 1 lb. |
|-----------|-----------|



Millennium Marker Lights

- | | | |
|-------------|------------------------|-----------|
| 174027041 | Amber Incandescent | Wt. 1 lb. |
| 174027041R | Red Incandescent | Wt. 1 lb. |
| 174027041L | Amber LED Incandescent | Wt. 1 lb. |
| 174027041LR | Red LED Incandescent | Wt. 1 lb. |



LED LIGHTING

These LED lights come complete with rubber grommet and pigtail.

- | | | |
|-----------|----------------|-----------|
| 174027007 | Amber 6" Oval | Wt. 1 lb. |
| 174027008 | Red 6" Oval | Wt. 1 lb. |
| 174026099 | Amber 4" Round | Wt. 1 lb. |
| 174027000 | Red 4" Round | Wt. 1 lb. |



- | | | |
|-----------|--------------------|-----------|
| 174027024 | Amber 2-1/2" Round | Wt. 1 lb. |
| 174027027 | Red 2-1/2" Round | Wt. 1 lb. |
| 174027018 | Amber 2" Round | Wt. 1 lb. |
| 174027032 | Red 2" Round | Wt. 1 lb. |

FULL ASSORTMENT OF STRAPS AND TIEDOWNS STARTING ON PAGE 1



ROUND CLEARANCE

These little clearance lights make perfect additions to your existing light system. They come complete with sealed beam, rubber grommet, and pig tail. Available in red and amber.

- | | | |
|-----------|--------------|-----------|
| 174027019 | Red 2" | Wt. 1 lb. |
| 174027022 | Amber 2" | Wt. 1 lb. |
| 174027025 | Red 2-1/2" | Wt. 1 lb. |
| 174027028 | Amber 2-1/2" | Wt. 1 lb. |



4" ROUND LIGHTS

The heavy duty round light kits may be used to add to your existing light system or to replace worn out lights. These are also exact replacements for most popular wrecker & carrier body lights. They come complete with sealed beam light, grommet, and wire. Available in red and clear.

- | | | |
|-----------|-------|-----------|
| 174027001 | Red | Wt. 1 lb. |
| 174027005 | Clear | Wt. 1 lb. |



TURN SIGNAL

6" OVAL LIGHTS

Light kits are heavy duty sealed beam construction. They come complete with light, grommet and wire. These are exact replacements for most common applications. Available in red, amber, or clear. Amber turn signal comes as shown.

- | | | |
|-----------|-------------|-----------|
| 174027009 | Red | Wt. 1 lb. |
| 174027013 | Amber | Wt. 1 lb. |
| 174027016 | Clear | Wt. 1 lb. |
| 174027014 | Turn Signal | Wt. 1 lb. |



PUSH BUTTON LAMP

These lamps are supplied with a chrome housing. The lens has a push button switch in it for easy to use operation. The lamp comes with a 1156 changeable bulb. Measures 6-1/2" x 1-5/8".

- | | |
|-----------|-----------|
| 174027054 | Wt. 2 lb. |
|-----------|-----------|



VULCAN LED TAIL LIGHTS

Available in red and amber these 3" X 5" LED lights are the same lights currently being used on the Century 3212 and Vulcan Heavy Duty Units. (Light only, grommet & pigtail sold separately)

- | | | |
|---------|-------|-----------|
| 0307215 | Red | Wt. 1 lb. |
| 0307216 | Amber | Wt. 1 lb. |



ICC LIGHT STRIP

This marker light strip is made out of steel and utilizes three small sealed beam lights. Measures 16-1/2" x 1-1/2" wide and includes wiring.

- | | |
|---------|-----------|
| 0300442 | Wt. 1 lb. |
|---------|-----------|

REPLACEMENT LIGHTS



ATTACHMENT

IDEAL FOR IMPOUND YARDS
ELIMINATES TRANSFER
DAMAGE

QUICKLY ATTACHES OR DETACHES
FROM THE FORKLIFT

HANDLES ALL SIZE CARS

LOW OPERATING COST

DOZENS OF CARS CAN BE
MOVED IN A MATTER OF MINUTES



124001811

Wt. 220 lb.



Call our parts department for a listing of refurbished winches and hydraulic cylinders.



FORKLIFT ATTACHMENT

INDEX

A

ALUMINUM BLOCKS	15
ALUMINUM STORAGE BOX	20
ANCHOR SHACKLES	6
AUTO LOAD TOW BAR	12
AUTO LOAD TOW SLING	12
AXLE STRAP	4

B

BASIC SWITCH PANELS	35
BASKET STRAP	1
BOOM ANGLE INDICATOR	19
BUMPERS	31
BUS LIFT SYSTEM	20

C

CABLE CLAMPS	7
CABLE HOOK LATCH	11
CARRIER TIE DOWN KIT	3
CARRIER KIT	23
CARRIER LADDER	25
CARRIER ROTATION KIT	23
CARRIER TIE DOWN STRAPS	3
CHAIN ASSEMBLIES	9
CHAIN BRIDLES	8
CHAIN KIT	9
CHAIN HOOK ADAPTER	16
CLEVLOK® LATCH	6
CLUSTER ASSEMBLIES	5
CLUSTER STRAP ASSEMBLY	3
COLD SHUT	6
COMBINATION HITCH	14
CONVERT-A-BALL	14

D

D-RING KIT	18
DELTA RING STRAP	1
DOLLIES	26
DOLLIES ACCESSORIES	26, 27
DOOR CLOSURE	28
DOUBLE CLEVIS	6
DOUBLE HOOK STRAP	4
DRI-DEK	28

E

EAGLE FORK LIFT ATTACHMENT	48
ENGINE INFO CENTER	21

F

FIBERGLASS FLARES	29
FIFTH WHEEL ADAPTERS	19
FINGER STRAP	1
FIRE EXTINGUISHERS	22
FIRST AID KIT	22
FLAT HOOK STRAP	1
FLOOD LIGHTS	44
FOLD DOWN LIGHT BAR BRACKET	43
FOLDING STEP	28
FORGED "D" RING	25
FORGED J-HOOK	5
FORK ADAPTERS	16
FOUR POINT CARRIER TIE-DOWN	3

G

GARBAGE CANS	23
GENERAL LIGHTING	34
GO-JAK	27
GRAB HOOKS	7

H

HALF FENDERS	25
HAMMER LOCK	6
HANDRAIL	29

J

J-HOOK ASSEMBLIES	9
J-HOOK BRIDLES	8
JERRY CAN	23
JUMP START KITS	32, 33

K

KING PIN ATTACHMENT	19
KING PIN PLATE	16

L

LASSO STRAP	1
LATCH HOOK	7
LATCHES	30
LEVEL WINDERS	11
LIFT FORKS	16, 17
LIGHT BARS	40, 41, 42, 43
LIGHT BULBS	45
LOAD BARS	38
LOAD BINDER	5

M

MINI FORGED J-HOOK	5
MOLDED PYLON WINGS	43
MOTORCYCLE ATTACHEMNT	12
MOTORCYCLE SLING	4
MOTORCYCLE STRAP KIT	15

N

NYLON STRAP BRIDLES	8
---------------------	---

P

PADDLE LATCH	30
PINTLE HOOK	14
PINTLE HOOK KIT	19
PINTLE MOUNT	14
POLY-COATED BASKET STRAP	2
PTO CABLES	30
PUSH BUMPERS	31

Q

QUARTER FENDERS	24, 25
-----------------	--------

R

RATCHETS	1
RATCHET ASSEMBLY TIE-DOWN	4
RATCHET ATTACHMENTS	1
RATCHET BINDER (CHAIN)	5
RATCHET STRAP 1"	4
REFLECTOR KIT	22
REPLACEMENT LIGHTS	45, 46, 47
REPLACEMENT TOWELS	20
REVERSE CAMERAS	21
ROLLER GUIDE	11
RUBBER BLOCKS	15
RUBBER FLARE MATERIAL	29

S

SAFETY CHAINS	9
SAFETY HOOKS	7
SCOTCH BLOCKS	15
SHACKLES	29
SIDE PULL STABILIZER	18
SIDE PULLERS	10
SIMULATORS	28
SNATCH BLOCKS	10, 11
SNATCH BLOCK LATCHES	10
SPACER BLOCKS	25
SPADE ATTACHMENT	15
SPILL PROOF SPOUT	23
SPOT LIGHTS	44
SPRING LIFT BRACKET	16
STAINLESS STEEL STRIPS	29
STANDARD BENT HOOK	5
START KITS	32, 33
STEERING WHEEL STRAP	4
STROBE KITS	35
STORAGE BRACKET	20
STRAP & RATCHET ASSEMBLY	2
SWITCH PANELS	36, 37

T

T-HOOK	5
TIE DOWN STRAP	4
TIRE SKATES	22
TOOL BOXES	24
TOW BALL ADAPTER	19
TOW BARS	13
TOWBAR RINGS	25
TOW LIGHTS & EQUIPMENT	39
TOW SLING	13
TRAFFIC CONES	22
TRAILER BALL ADAPTERS	14
12V MOTOR & SOLENOID	30

U-V

UNDERLIFT TIE-DOWN	2
VULCAN CRADLE STRAP	2

W

WASHDOWN SINK KIT	20
WEDGE SOCKET	7
WINCH CABLE	11





CENTURY®

Vulcan®

HOLMES®

EAGLE®

CHEVRON

Champion®

CHALLENGER®

WWW.MILLERIND.COM

Miller Industries Towing Equipment Inc.
8503 Hilltop Drive
Ooltewah, TN 37363